

Price List September 2021 / Metric

Professional Audio

V/COUSTIC
INNOVATIVE ACOUSTIC SOLUTIONS®

Contents

3	VicStudio VMT Box	10	Multifuser Wood MKII
3	VicStudio Box	10	Multifuser DC2 / DC3 ^{NEW}
4	VicPattern Ultra Wavewood	10	Trap Fuser
4	VicPattern Ultra	11	Super Bass Extreme Ultra
5	Flexi Wave Ultra	11	Super Bass Extreme VMT
5	Cinema Line ^{NEW}	11	VicTotem Ultra VMT
6	Flat Panel VMT	12	Vari Bass Ultra
7	VicSpacer ^{NEW}	12	Flexi Screen Ultra
7	Vixagon VMT	13	VicBooth Ultra
8	Cinema Round Ultra VMT	16	VicBooth Ultra Components
8	Cinema Round Premium	18	Budget Line
8	Wavewood Ultra Lite	19-20	Accessories
9	Flexi Wood Ultra Lite		
9	Wavewood Diffuser Ultra		
9	Cinema Round Ultra Fuser		


All prices subject to change without further notice. All prices are in EURO, Ex VAT or any sales tax and EXWORKS. Prices might vary depending on your local market and regulatory requirements, customs, etc.

This Price List is continually updated with new and amended details. Vicoustic accepts no liability for any eventuality arising from the use of errors contained in this Price List. Vicoustic reserves the right to correct errors or misprints.

VMT products in the color white may show some impurities due to PET recycling.


The product images used are illustrative and may differ from the actual product.

VicStudio VMT Box HS CODE: 39211310



VicStudio VMT Box - Grey

Contents and Dimensions



VMT + EPS colors

-  White Wavewood VMT Pattern + White Multifuser DC2
-  Black Wavewood VMT Pattern + Black Multifuser DC2
-  Grey Wavewood VMT Pattern + Grey Multifuser DC2

More information on www.vicoustic.com/product/vicstudio-vmt-box


Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
VicStudio VMT Box	—	5,6	16	(3 x) 1228 x 180 x 105; 1265 x 665 x 190; 1265 x 665 x 355	TBA		1390 EUR netto

Raw Materials: VicPET Wool, Solid Wood and Lacquered Steel; Expanded Polystyrene
Fire Rate: TBA

Acoustic Properties: Medium frequencies
 Absorption and Diffusion
NRC: TBA


Installation/Accessories:
 VicFix Mini, VicFix Corner and Glue (included)

VicStudio Box HS CODE: 44101110



VicStudio Box - Brown Oak

Contents and Dimensions



Wood + EPS colors

-  Brown Oak + Black Multifuser DC2
-  Black Matte + Black Multifuser DC2
-  White Matte + White Multifuser DC2


More information on www.vicoustic.com/product/vicstudio-box

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
VicStudio Box	—	3,5	10	1260 x 675 x 355	TBA		565 EUR netto

Raw Materials: Standard MDF, polyurethane foam and Melamine; Expanded Polystyrene
Fire Rate: TBA

Acoustic Properties:
 Absorption / Difusion / Bass Trap
NRC: TBA

Installation/Accessories:
 Glue (included)




VicPattern Ultra **Wavewood** HS CODE: 44101110



VicPattern Ultra Wavewood - Brown Oak

Dimensions



595 × 595 × 50 mm

Wood colors

	Black Matte		Dark Wenge
	White Matte		Locarno Cherry
	Metallic Copper		Brown Oak
	Metallic Gold		Natural Oak

More information on www.vicoustic.com/product/vicpattern-ultra-wavewoodFor customized graphics or colors, contact: sales@vicoustic.com

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
VicPattern Ultra Wavewood	595 × 595 × 50	1,06	3	665 × 675 × 195	14	215 EUR netto	

Raw Materials: VicPET Wool, MDF, Melamine**Fire Rate:** TBA

Acoustic Properties: Medium and High
Frequencies Absorption and Diffusion
NRC: 0,70

Installation/Accessories:

VicFix J Profile (included); VicFix Corner

VicPattern Ultra HS CODE: 44101110



VicPattern Ultra - Lilly: Locarno Cherry; Symmetric: Metallic Copper; Reflex: Natural Oak

Dimensions




Lilly

595 × 595 × 50 mm




Lis

595 × 595 × 50 mm




Lotus

595 × 595 × 50 mm



Symmetric

595 × 595 × 50 mm



Reflex

595 × 595 × 50 mm

Wood colors

	Black Matte		Metallic Copper		Dark Wenge		Brown Oak
	White Matte		Metallic Gold		Locarno Cherry		Natural Oak

More information on www.vicoustic.com/product/vicpattern-ultraFor customized graphics or colors, contact: sales@vicoustic.com

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
VicPattern Ultra	595 × 595 × 50	1,06	3	665 × 675 × 195	14	215 / 235 BLK EUR netto	
VicPattern Ultra Lis	595 × 595 × 50	1,06	3	665 × 675 × 195	14	215 / 235 BLK EUR netto	
VicPattern Ultra Lotus	595 × 595 × 50	1,06	3	665 × 675 × 195	14	215 / 235 BLK EUR netto	
VicPattern Ultra Symmetric	595 × 595 × 50	1,06	3	665 × 675 × 195	14	215 / 235 BLK EUR netto	
VicPattern Ultra Reflex	595 × 595 × 50	1,06	3	665 × 675 × 195	14	215 / 235 BLK EUR netto	

Raw Materials: VicPET Wool, MDF, Melamine**Fire Rate:** TBA

Acoustic Properties: Medium and High
Frequencies Absorption and Diffusion

Installation/Accessories:


VicFix J Profile (included); VicFix Corner

Flexi Wave Ultra HS CODE: 39211310



Flexi Wave Ultra - 120: Brown Oak; 60: Natural Oak

Dimensions



Wood colors

	Black Matte		Dark Wenge
	White Matte		Locarno Cherry
	Metallic Copper		Brown Oak
	Metallic Gold		Natural Oak

More information on www.vicoustic.com/product/flexi-wave-ultra

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
Flexi Wave Ultra 60	595 × 100 × 150	0,36	6	605 × 620 × 185	5,2	230 EUR netto	
Flexi Wave Ultra 120	1190 × 100 × 150	0,72	6	1220 × 620 × 185	10,4	379 EUR netto	

Raw Materials: VicPET Wool, MDF, Melamine
Fire Rate: TBA

Acoustic Properties: Medium Frequencies
 Absorption and Diffusion
NRC: 0,70


Installation/Accessories:
 VicFix J Profile (included); Flexi Glue Ultra

Cinema Line HS CODE: 39211310



Cinema Line - Piano VMT, Grey Stone; Forte VMT, Calacatta Crema; Fortissimo VMT, Concrete 1

Dimensions



Piano VMT / Forte VMT / Fortissimo VMT
 595 × 595 × 60 / 120 / 120 mm

Finishes



More information on www.vicoustic.com/search/cinema-family
 For customized graphics or colors, contact: sales@vicoustic.com

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
Cinema Piano VMT	595 × 595 × 60	0,70	2	665 × 675 × 195	3,50	255 EUR netto	
Piano Calacatta Crema / Grey Stone	595 × 595 × 60	0,70	2	665 × 675 × 195	3,50	275 EUR netto	
Cinema Forte VMT	595 × 595 × 120	0,70	2	665 × 675 × 355	4,75	295 EUR netto	
Forte Calacatta Crema / Grey Stone	595 × 595 × 120	0,70	2	665 × 675 × 355	4,75	315 EUR netto	
Cinema Fortissimo VMT	595 × 595 × 120	0,70	2	665 × 675 × 355	6,25	330 EUR netto	
Fortissimo Calacatta Crema / Grey Stone	595 × 595 × 120	0,70	2	665 × 675 × 355	6,25	350 EUR netto	

Raw Materials: VicPET Wool, ViCycle,
 MDF and Lacquered Steel
Fire Rate: TBA

Acoustic Properties: Broadband Absorption
NRC: Piano/Forte/Fortissimo: 0,95

Installation/Accessories:
 VicFix Mini (included), VicFix J Profile

Flat Panel VMT


HS CODE: 39211310



Dimensions

595×595
×20 / 40 mm

1190×595×20 / 40 mm



2380×1190×20 mm

VMT colors



Flat Panel VMT, 595×595×40 mm
- Natural Stones Collection, Moonlight Grey

Collections and Patterns available on www.vicoustic.com/product/flat-panel-vmt
For customized graphics or colors, contact: sales@vicoustic.com

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
60.20 Standard Collections	595×595×20	2,83	8	665×675×195	4,4	240 EUR netto	
60.20 Natural Stones	595×595×20	2,83	8	665×675×195	4,4	260 EUR netto	
60.20 Standard Collections	595×595×20	1,42	4	650×650×95	2,2	120 EUR netto	
60.20 Natural Stones	595×595×20	1,42	4	650×650×95	2,2	140 EUR netto	
60.40 Standard Collections	595×595×40	2,83	8	665×675×355	8,0	290 EUR netto	
60.40 Natural Stones	595×595×40	2,83	8	665×675×355	8,0	315 EUR netto	
120.20 Standard Collections	1190×595×20	5,66	8	1260×675×190	9,6	480 EUR netto	
120.20 Natural Stones	1190×595×20	5,66	8	1260×675×190	9,6	520 EUR netto	
120.20 Standard Collections	1190×595×20	2,83	4	1245×650×95	4,8	240 EUR netto	
120.20 Natural Stones	1190×595×20	2,83	4	1245×650×95	4,8	260 EUR netto	
120.40 Standard Collections	1190×595×40	5,66	8	1260×675×355	17,0	535 EUR netto	
120.40 Natural Stones	1190×595×40	5,66	8	1260×675×355	17,0	630 EUR netto	
240.20 Standard Collections	2380×1190×20	22,66	8	2470×1275×170	19,2	1380 EUR netto	
240.20 Natural Stones	2380×1190×20	22,66	8	2470×1275×170	19,2	1499 EUR netto	

Raw Materials: VicPET Wool

Fire Rate: 20 mm: Europe: Euroclass B -s2, d0; USA: Class A (ASTM-E84); Canada: CAN/ULC S102, Flame Spread Rating: 5, Smoke Developed Classification: 115; 40 mm: Europe: Euroclass B - s2, d0; USA: Class A (ASTM-E84); Canada: N/A

Acoustic Properties: Medium and High Frequencies Absorption

NRC: 20 mm: 0,55; 40 mm: 0,70

Installation/Accessories: Velcro, Flexi Glue Ultra, AluFrame Single, AluFrame Double, AluFrame VMT T, VicSpacer, VicSpacer Plus



Front wall: Customized Flat Panel VMT (2380×1190mm) with AluFrame Double
Side walls and ceiling: Flexi Wave Ultra and Cinema Round Premium; Floor: VicTotem Ultra

VicSpacer / VicSpacer Plus HS CODE: 39211310




VicSpacer / VicSpacer Plus Grey Matte

Dimensions



VicSpacer / VicSpacer Plus: 599 × 1194 × 66 mm

Colors



More information on
www.vicoustic.com/search/vicspacer

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
VicSpacer	599 × 1194 × 66	2,80	4 / 3 boxes	(2×) 1210 × 155 × 98 + (1×) 665 × 675 × 355	(2×) 15 + (1×) 8	440 EUR netto	
VicSpacer Plus	599 × 1194 × 66	2,80	4 / 3 boxes	(2×) 1210 × 155 × 98 + (1×) 665 × 675 × 355	(2×) 15 + (1×) 8	540 EUR netto	

Raw Materials: Wood and Lacquered Steel
Fire Rate: N/A

NRC: 0.85 (VMT 20 mm + VicSpacer);
 0.95 (VMT 20 mm + VicSpacer Plus)


Installation/Accessories:
 VicFix Mini (included), VicFix J Profile,
 VicFix Corner and VicFix J Profile 80mm

Vixagon VMT HS CODE: 39211310



Vixagon VMT, 20 mm - Natural Stones, Calacatta Carrara

Dimensions



Collections and Patterns available on
www.vicoustic.com/product/vixagon-vmt
 For customized graphics or colors,
 contact: sales@vicoustic.com

VMT colors



Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
20 Standard Collections	700 × 606 × 20	3,82	12	745 × 650 × 390	8,0	460 EUR netto	
20 Natural Stones	700 × 606 × 20	3,82	12	745 × 650 × 390	8,0	499 EUR netto	
20.Mini Standard Collections	350 × 305 × 20	3,82	36 + 36	745 × 650 × 390	8,0	435 EUR netto	
20.Mini Natural Stones	350 × 305 × 20	3,82	36 + 36	745 × 650 × 390	8,0	460 EUR netto	
40 Standard Collections	700 × 606 × 40	1,91	6	745 × 650 × 390	8,0	350 EUR netto	
40 Natural Stones	700 × 606 × 40	1,91	6	745 × 650 × 390	8,0	380 EUR netto	

Raw Materials: VicPET Wool

Acoustic Properties: Medium and High Frequencies Absorption

NRC: 20 mm: 0,55; 40 mm: 0,70

Installation/Accessories: Velcro; Flexi Glue Ultra

Fire Rate: 20 mm: Europe: Euroclass B -s2, d0; USA: Class A (ASTM-E84);
 Canada: CAN/ULC S102, Flame Spread Rating: 5, Smoke Developed
 Classification: 115; 40 mm: Europe: Euroclass B - s2, d0; USA: Class A
 (ASTM-E84); Canada: N/A


Cinema Round Ultra VMT

HS CODE: 44101110




Cinema Round Ultra VMT - Natural Oak + Beige

Dimensions



595×595×170 mm

Wood colors



VMT colors

More information on www.vicoustic.com/product/cinema-round-ultra-vmt

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
Cinema Round Ultra Fuser	595×595×170	0,70	2	665×675×405	10,4	375 EUR netto	

Raw Materials: VicPET Wool, MDF, Melamine
Fire Rate: TBA

Acoustic Properties:
 Medium and High Frequencies Absorption
NRC: 0,90

Installation/Accessories:
 VicFix J Profile (Included); VicFix Corner

Cinema Round Premium

HS CODE: 39211310



Cinema Round Premium - Blue

Dimensions



595×595×75 mm

Fabric colors

More information on www.vicoustic.com/product/cinema-round-premium

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
Cinema Round Premium	595×595×50	2,83	8	630×630×620	9,1	375 EUR netto	


Raw Materials: Polyurethane Foam, Fabric
Fire Rate: Europe: Euroclass F

Acoustic Properties:
 Medium and High Frequencies Absorption
NRC: 0,95

Installation/Accessories:
 VicFix J Profile or VicFix Corner (using VicFix Base); Flexi Glue Ultra


Wavewood Ultra Lite

HS CODE: 39211310




Wavewood Ultra Lite - Brown Oak

Dimensions



595×595×45 mm

Wood colors

More information on www.vicoustic.com/product/wavewood-ultra-lite

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
Wavewood Ultra Lite	595×595×45	2,83	8	665×675×355	—	479 EUR netto	


Raw Materials: Polyurethane Foam, MDF
 and Melamine
Fire Rate: TBA

Acoustic Properties:
 Medium Frequencies Absorption
NRC: 0.75

Installation/Accessories:
 Flexi Glue Ultra


Flexi Wood Ultra Lite

HS CODE: 39211310




Flexi Wood Ultra Lite - Locarno Cherry

Dimensions



595×595×54 mm

Wood colors

More information on www.vicoustic.com/product/flexi-wood-ultra-lite

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
Flexi Wood Ultra Lite	595×595×54	2,12	6	620×620×330	10,0	479 EUR netto	

Raw Materials: Polyurethane Foam, MDF and Melamine
Fire Rate: TBA

Acoustic Properties: Medium and Medium-low Frequencies Absorption
NRC: 0,60

Installation/Accessories:
 VicFix J Profile (using VicFix Base);
 Flexi Glue Ultra


Wavewood Diffuser Ultra

HS CODE: 39203000




Wavewood Diffuser Ultra - Locarno Cherry

Dimensions



595×595×60 mm

Wood colors

More information on www.vicoustic.com/product/wavewood-diffuser-ultra

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
Wavewood Diffuser Ultra	595×595×60	1,06	3	665×667×195	5,5	175 EUR netto	

Raw Materials: EPS (Expanded Polystyrene), Melamine
Fire Rate: Euroclass E

Acoustic Properties: Medium frequencies Diffusion
NRC: 0,30

Installation/Accessories:
 VicFix J Profile or VicFix Corner (using VicFix Base); Flexi Glue Ultra


Cinema Round Ultra Fuser

HS CODE: 44101110




Cinema Round Ultra Fuser - Brown Oak

Dimensions



595×595×170 mm

Wood colors

More information on www.vicoustic.com/product/cinema-round-ultra-fuser

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
Cinema Round Ultra Fuser	595×595×170	0,70	2	665×675×405	10,4	250 EUR netto	

Raw Materials: VicPet Wool, MDF, Melamine
Fire Rate: TBA

Acoustic Properties: Diffuser

Installation/Accessories:
 VicFix J Profile (Included); VicFix Corner


Multifuser Wood MKII

HS CODE: 44101110




Multifuser Wood MKII - 36: Metallic Gold; 64: Natural Wood

Dimensions




36: 595×595×96 mm



64: 595×595×143 mm

Wood colors

More information on www.vicoustic.com/product/multifuser-wood-mkii

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
Multifuser Wood MKII 36	595×595×96	0,35	1	625×330×140	15,2	294 EUR netto	
Multifuser Wood MKII 64	595×595×143	0,35	1	625×330×190	19,6	294 EUR netto	

Raw Materials: Solid Wood**Fire Rate:** Europe: Euroclass E;


USA: Class B (ASTM-E84)

NRC: 36: 0.25; 64: 0.35**Acoustic Properties:** Diffusion**Installation/Accessories:**

VicFix J Profile (included)


Multifuser DC2 / DC3 NEW

HS CODE: 39203000



Multifuser DC2 and DC3 - Grey

Dimensions



595×595×148 mm




DC2 DC3

EPS colors



Black



Grey



White

Multifuser DC3 is available now and is replacing Multifuser DC2 that will be continued to be sold until stock lasts.More information on vicoustic.com/product/multifuser-dc2 and vicoustic.com/product/multifuser-dc3


Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
Multifuser DC2	595×595×148	2,10	6	710×710×615	11,4	310 EUR netto	
Multifuser DC3 NEW	595×595×148	1,40	4	710×710×615	7,6	225 EUR netto	

Raw Materials: EPS (Expanded Polystyrene)**Fire Rate:** Europe: Euroclass F**Acoustic Properties:** Medium frequencies Diffusion**Installation/Accessories:** DC2: VicFix J Profile (using VicFix Base); Flexi Glue Ultra

// DC3: VicFix Mini (included), VicFix J Profile, Flexi Glue Ultra

Trap Fuser

HS CODE: 39203000



Trap Fuser Grey

Dimensions



595×595×169 mm

EPS colors



Black



White



Grey

More information on www.vicoustic.com/product/trap-fuser

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
Trap Fuser Black	595×595×169	2,12	6	530×910×620	16,2	360 EUR netto	
Trap Fuser Grey	595×595×169	2,12	6	530×910×620	16,2	275 EUR netto	
Trap Fuser White	595×595×169	2,12	6	530×910×620	16,2	275 EUR netto	


Raw Materials: EPS (Expanded Polystyrene);**Fire Rate:** Europe: Euroclass E; USA: Class C (ASTM-E84)**Acoustic Properties:** Diffusion**Installation/Accessories:** VicFix Base, Flexi Glue Ultra

Super Bass Extreme Ultra HS CODE: 39211310




Super Bass Extreme Ultra - Metallic Gold

Dimensions



595 × 595 × 155 mm

Wood colors

More information on www.vicoustic.com/product/super-bass-extreme-ultra

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
Super Bass Extreme Ultra	595 × 595 × 155	0,70	2	650 × 375 × 630	13,5	335 EUR netto	

Raw Materials:

VicPet Wool, Vicycle, MDF, Melamine

Fire Rate: TBA

Acoustic Properties:

Low Frequencies Absorption; Bass Trap

Installation/Accessories:


VicFix J Profile (included); VicFix Corner; Flexi Glue Ultra or Manually assembled (no tools required)

Super Bass Extreme VMT HS CODE: 39211310



Super Bass Extreme VMT - Natural Oak + Grey

Dimensions




595 × 595 × 155 mm

Wood colors



VMT colors



More information on

www.vicoustic.com/product/super-bass-extreme-vmt

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
Super Bass Extreme VMT	595 × 595 × 155	0,70	2	650 × 375 × 630	13,5	335 EUR netto	

Raw Materials:

VicPet Wool, Vicycle, MDF, Melamine

Fire Rate: TBA

Acoustic Properties:

Low Frequencies Absorption; Bass Trap


Installation/Accessories:

VicFix J Profile (included); VicFix Corner; Flexi Glue Ultra or Manually assembled (no tools required)

VicTotem Ultra VMT HS CODE: 44101110

VicTotem Ultra VMT
- Natural Oak + 23a

Dimensions




1845 × 595 × 366 mm

Wood colors



VMT colors



More information on

www.vicoustic.com/product/victotem-ultra-vmt

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
VicTotem Ultra VMT (3 modules + 1 base)	1845 × 595 × 366	—	1 (4 boxes)	(3 ×) 675 × 375 × 630 + (1 ×) 510 × 520 × 110	21,5	799 EUR netto	
Single Module	595 × 595 × 277	—	1	675 × 375 × 630		340 EUR netto	

Raw Materials:

VicPET Wool, Vicycle, MDF, Melamine

Fire Rate: TBA

Acoustic Properties:


Low to High Frequency Absorption and Diffusion; Bass Trap

Installation/Accessories: Manually assembled (no tools required)


Vari Bass Ultra HS CODE: 44101110



Dimensions



Wood colors



More information on www.vicoustic.com/product/vari-bass-ultra

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
Vari Bass Ultra	Ø 370 × 600	—	2	745 × 415 × 600	18,6	440 EUR netto	

Raw Materials: MDF with melamine,
Foam covered with grey fabric
Fire Rate: TBA


Acoustic Properties:
Absorption / Bass Trap

Installation/Accessories:
Manually assembled (no tools required)


Flexi Screen Ultra MKII HS CODE: 39211310



Dimensions



Wood colors



More information on www.vicoustic.com/product/flexi-screen-ultra-mkii

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
Flexi Screen Ultra MKII	385 × 295 × 345	—	1	450 × 340 × 405	3,4	116 EUR netto	

Raw Materials: Polyurethane Foam, Melamine
Fire Rate: TBA

Acoustic Properties:
Absorption

Installation/Accessories:
Manually assembled, all accessories included

VicBooth Ultra **Vocal Booth** HS CODE: 44189990




Components

- 1 Module 1 × 1
- 1 Door with Window
- 1 Side with Window
- 2 Sides with VicFix
- 2 VicBooth Ultra Pack 1
(4 Cinema Round Premium, Black)

Available finishes

- Black
- White
- Natural Oak

Dimensions



1076 × 1030 × 2230 mm (Ext.)
968 × 968 × 2008 mm (Int.)

Product Info		Packaging Information			Suggested Retail Price
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)	
● VICB037	Black	1 unit / 9 boxes	(1×)2120 × 255 × 190	214	TEL/MAIL
○ VICB038	White		+ (2×)1100 × 1100 × 160 +		
● VICB039	Natural Oak		(4×)2210 × 1000 × 100 + (2×)1260 × 675 × 195		

Raw Materials: see Components section (pages 15-16)

Noise Isolation Class (NIC)*: 30; **NIC (w/ CRP)**** 31

VicBooth Ultra **Practice Room** HS CODE: 44189990




Components

- 1 Module 1 × 2
- 1 Door with Window
- 1 Standard Side
- 5 Sides with VicFix
- 2 VicBooth Ultra Pack 1
(4 Cinema Round Premium, Black)
- 2 VicBooth Ultra Pack 2
(4 VicPattern Ultra Wavewood,
Black Matte)

Available finishes

- Black
- White
- Natural Oak

Dimensions



1076 × 2030 × 2230 mm (Ext.)
968 × 1968 × 2008 mm (Int.)

Product Info		Packaging Information			Suggested Retail Price
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)	
● VICB040	Black	1 unit / 16 boxes	(2×)2120 × 255 × 190	345	TEL/MAIL
○ VICB041	White		+ (4×)1100 × 1100 × 160 +		
● VICB042	Natural Oak		(6×)2210 × 1000 × 100 + (4×)1260 × 675 × 195		

Raw Materials: see Components section (pages 15-16)

Noise Isolation Class (NIC)*: 31; **NIC (w/ CRP)**** 32

VicBooth Ultra **Control Room** HS CODE: 44189990





Components

- 1 Module 2 × 2
- 1 Door with Window
- 2 Sides with Window
- 5 Sides with VicFix
- 2 VicBooth Ultra Pack 1
(4 Cinema Round Premium, Black)
- 2 VicBooth Ultra Pack 2
(4 VicPattern Ultra Wavewood, Black Matte)

Available finishes

- Black
- White
- Natural Oak

Dimensions



2076 × 2030 × 2230 mm (Ext.)
1968 × 1968 × 2008 mm (Int.)

Product Info		Packaging Information			Suggested Retail Price
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)	
● VICB043	Black	1 unit / 23 boxes	(3 ×) 2120 × 255 × 190	531	TEL/MAIL
○ VICB044	White		+ (8 ×) 1100 × 1100 × 160 +		
● VICB045	Natural Oak		(8 ×) 2210 × 1000 × 100 + (4 ×) 1260 × 675 × 195		

Raw Materials: see Components section (pages 15-16)

Noise Isolation Class (NIC)*: 31; **NIC (w/ CRP)**** 32

VicBooth Ultra **Recording Room** HS CODE: 44189990





Components

- 1 Module 2 × 2
- 1 Door with Window
- 1 Side with Window
- 6 Sides with VicFix
- 2 VicBooth Ultra Pack 1
(4 Cinema Round Premium, Black)
- 4 VicBooth Ultra Pack 2
(8 VicPattern Ultra Wavewood, Black Matte)

Available finishes

- Black
- White
- Natural Oak

Dimensions



2076 × 2030 × 2230 mm (Ext.)
1968 × 1968 × 2008 mm (Int.)

Product Info		Packaging Information			Suggested Retail Price
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)	
● VICB046	Black	1 unit / 25 boxes	(3 ×) 2120 × 255 × 190	531	TEL/MAIL
○ VICB047	White		+ (8 ×) 1100 × 1100 × 160 +		
● VICB048	Natural Oak		(8 ×) 2210 × 1000 × 100 + (5 ×) 1260 × 675 × 195		

Raw Materials: see Components section (pages 15-16)

Noise Isolation Class (NIC)*: 31; **NIC (w/ CRP)**** 32

VicBooth Ultra Control Room 2 × 3 HS CODE: 44189990




Components

- 1 Module 2 × 3
- 1 Door with Window
- 2 Sides with Window
- 7 Sides with VicFix
- 2 VicBooth Ultra Pack 1 (4 Cinema Round Premium, Black)
- 4 VicBooth Ultra Pack 2 (8 VicPattern Ultra Wavewood, Black Matte)

Available finishes

- Black
- White
- Natural Oak

Dimensions



2076 × 2030 × 2230 mm (Ext.)
1968 × 1968 × 2008 mm (Int.)

Product Info		Packaging Information			Suggested Retail Price
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)	
● VICB055	Black	1 unit / 32 boxes	(4 ×) 2120 × 255 × 190	781	TEL/MAIL
○ VICB056	White		+ (12 ×) 1100 × 1100 × 160 +		
● VICB057	Natural Oak		(10 ×) 2210 × 1000 × 100 + (6 ×) 1260 × 675 × 195		

Raw Materials: see Components section (pages 15-16)

Noise Isolation Class (NIC)*: 31; **NIC (w/ CRP)**** 32

VicBooth Ultra Recording Room 2 × 3 HS CODE: 44189990




Components

- 1 Module 2 × 3
- 1 Door with Window
- 2 Side with Window
- 7 Sides with VicFix
- 3 VicBooth Ultra Pack 1 (6 Cinema Round Premium, Black)
- 4 VicBooth Ultra Pack 2 (8 VicPattern Ultra Wavewood, Black Matte)

Available finishes

- Black
- White
- Natural Oak

Dimensions



2076 × 2030 × 2230 mm (Ext.)
1968 × 1968 × 2008 mm (Int.)

Product Info		Packaging Information			Suggested Retail Price
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)	
● VICB058	Black	1 unit / 33 boxes	(4 ×) 2120 × 255 × 190	781	TEL/MAIL
○ VICB059	White		+ (12 ×) 1100 × 1100 × 160 +		
● VICB060	Natural Oak		(10 ×) 2210 × 1000 × 100 + (7 ×) 1260 × 675 × 195		

Raw Materials: see Components section (pages 15-16)

Noise Isolation Class (NIC)*: 31; **NIC (w/ CRP)**** 32

VicBooth Ultra Components

Product Info				Packaging Info		Sug. Retail Price
Article	Description	Size (mm)	Units / Box	Dimensions (mm)	Weight (kg)	
	U04820 Module 1 × 1	1000 × 1000 × 2200	1 unit / 3 boxes	(1 ×) 2120 × 255 × 190 + (2 ×) 1100 × 1100 × 160	91	TEL/MAIL
	Raw materials: MDF HLS; MDF ST with melamine finish, VicPET Wool, ViCycle, grey felt (100% wool), dark grey needled pile carpet					
	U04821 Module 1 × 2	1000 × 2000 × 2200	1 unit / 6 boxes	(2 ×) 2120 × 255 × 190 + (4 ×) 1100 × 1100 × 160	182	TEL/MAIL
	Raw materials: MDF HLS; MDF ST with melamine finish, VicPET Wool, ViCycle, grey felt (100% wool), dark grey needled pile carpet					
	U04822 Module 2 × 2	2000 × 2000 × 2200	1 unit / 11 boxes	(3 ×) 2120 × 255 × 190 + (8 ×) 1100 × 1100 × 160	304	TEL/MAIL
	Raw materials: MDF HLS; MDF ST with melamine finish, VicPET Wool, ViCycle, grey felt (100% wool), coated steel plate, dark grey needled pile carpet					
	U04823 Module 2 × 3	2000 × 3000 × 2200	1 unit / 16 boxes	(4 ×) 2120 × 255 × 190 + (12 ×) 1100 × 1100 × 160	506	TEL/MAIL
	Raw materials: MDF HLS; MDF ST with melamine finish, VicPET Wool, ViCycle, grey felt (100% wool), coated steel plate, dark grey needled pile carpet					
	— Module 3 × 3	3000 × 3000 × 2200	1 unit / 23 boxes	(5 ×) 2120 × 255 × 190 + (18 ×) 1100 × 1100 × 160	739	TEL/MAIL
	Raw materials: MDF HLS; MDF ST with melamine finish, VicPET Wool, ViCycle, grey felt (100% wool), coated steel plate, dark grey needled pile carpet					
	U04843 ●	Standard door 61 × 884 × 2100	1	2210 × 1000 × 100	N/A	TEL/MAIL
	U04844 ○					
	U04845 ●					
	Raw materials: MDF ST with melamine finish, VicPET Wool, grey felt (100% wool), coated steel plate, leather					
	U04840 ●	Door with window 61 × 884 × 2100	1	2210 × 1000 × 100	43	TEL/MAIL
	U04841 ○					
	U04874 ●					
	Raw materials: MDF ST with melamine finish, VicPET Wool, grey felt (100% wool), coated steel plate, laminated glass, leather					
	U04825 ●	Standard side 30 × 884 × 2100	1	2210 × 1000 × 100	23	TEL/MAIL
	U04826 ○					
	U04872 ●					
	Raw materials: MDF ST with melamine finish, VicPET Wool, grey felt (100% wool)					
	U04828 ●	Side with window 30 × 884 × 2100	1	2210 × 1000 × 100	32	TEL/MAIL
	U04829 ○					
	U04830 ●					
	Raw materials: MDF ST with melamine finish, VicPET Wool, grey felt (100% wool), laminated glass					
	U04834 ●	Side with shelf 30 × 884 × 2100	1	2210 × 1000 × 100	28	TEL/MAIL
	U04835 ○					
	U04836 ●					
	Raw materials: MDF ST with melamine finish, VicPET Wool, grey felt (100% wool), coated steel plate					
	U04837 ●	Side with window and shelf 30 × 884 × 2100	1	2210 × 1000 × 100	38	TEL/MAIL
	U04838 ○					
	U04839 ●					
	Raw materials: MDF ST with melamine finish, VicPET Wool, grey felt (100% wool), coated steel plate, laminated glass					

VicBooth Ultra Components

Product Info				Packaging Info			Sug. Retail Price		
	Article	Description	Size (mm)	Units / Box	Dimensions (mm)	Weight (kg)			
	U04831		30×884×2100	1	2210×1000×100	24	TEL/MAIL		
	U04832	 Side with VicFix							
	U04873								
	Raw materials: MDF ST with melamine finish, VicPET Wool, grey felt (100% wool)								
	B05988	VicBooth Ultra Pack 1 2 Cinema Round Premium (Black) + 2 VicFix Base	595×595×75	2	1260×675×195	N/A	TEL/MAIL		
	Raw materials: Polyurethane foam, fabric; Fire Rate: europe: Euroclass F; Acoustic properties: medium and high frequencies absorption; NRC: 0,95								
	B05989	VicBooth Ultra Pack 2 2 VicPattern Ultra Wavewood (Black Matte)	595×595×50	2	1260×675×195	N/A	TEL/MAIL		
	Raw materials: VicPet Wool, MDF, melamine; Fire Rate: TBA; Acoustic Properties: medium and high frequencies absorption and diffusion; NRC: 0,70								
	VicBooth Ultra Ventilation			1			530×205×120	N/A	TEL/MAIL
	U04846	EU Version	485×185×120						
	U04847	UK Version							
	U04848	US Version							
	U04954	AU Version							

Budget Line

HS CODE: 39211310


Product Info			Packaging Info (Box)				Suggested Retail Price	
	Description	Size (mm)	m² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m²	Box
	Cinema Round	595×595×75	2,83	8	630×630×620	6,5	240 EUR netto	
	Raw Materials: Polyurethane Foam; Fire Rate: Europe: Euroclass F; Acoustic Properties: Medium and High Frequencies Absorption; NRC: 0,85							
	Flexi A50	600×600×50	4,32	12	630×630×620	6,3	240 EUR netto	
	Raw Materials: Polyurethane Foam; Fire Rate: Europe: Euroclass F; Acoustic Properties: Medium and High Frequencies Absorption; NRC: 0,60							
	Flexi Kick Drum	600×505×60	—	10	620×620×550	6,4	TEL/MAIL	
	Raw Materials: Polyurethane Foam; Fire Rate: Europe: Euroclass F; Acoustic Properties: Bass Drum Harmonic Control							
	Flexi Screen Lite V.2	438×295×355	—	6	255×255×255		55 EUR netto	
	Raw Materials: Polyurethane Foam; Fire Rate: Europe: Euroclass F; Acoustic Properties: Mobile Acoustic Shield							
	Flexi Wall	(3×) 1830×600×200	3,24	1	620×620×495	11,4	410 EUR netto	
	Raw Materials: Polyurethane Foam, Wood ; Fire Rate: Europe: Euroclass F; Acoustic Properties: High Frequencies Absorption							
	Super Kit	300×300×55	5,76	64	630×630×620	7,5	310 EUR netto	
	MD55							
	Super Kit Light		2,88	32	620×620×335	4,4	160 EUR netto	
Raw Materials: Polyurethane Foam; Fire Rate: Europe: Euroclass F; Acoustic Properties: Medium and High Frequencies Absorption; NRC: 0,60								
	Super Bass 90	600×300×340	—	4	630×630×620	7,0	245 EUR netto	
	Raw Materials: Polyurethane Foam; Fire Rate: Europe: Euroclass F; Acoustic Properties: Low Frequencies Absorption, Bass Trap							
	Pulsar Panel	600×600×57	5,76	16	630×630×620	7,6	320 EUR netto	
	Raw Materials: Polyurethane Foam; Fire Rate: Europe: Euroclass F; Acoustic Properties: High Frequencies Absorption; NRC: 0,60							
	Mega Fuser Bass Trap	600×300×260	—	8	630×630×620	7,3	290 EUR netto	
	Raw Materials: Polyurethane Foam; Fire Rate: Europe: Euroclass F; Acoustic Properties: Low Frequencies Absorption, Bass Trap							
	Mix Kit Pulsar	—	—	8 + 4	630×630×620	7,6	320 EUR netto	
	8 Pulsar Panel + 4 Mega Fuser Bass Trap							

More information on www.vicoustic.com/professional-audio/budget-line

Accessories

Product Info		Packaging Info (Box)			Suggested Retail Price
Description	Size (mm)	Units / Box	Dimensions (mm)	Weight (kg)	Box
 VicFix J Profile	20×10×2000	20	Ø 85×2100	7,6	359 EUR netto
		5	Ø 75×2100	2,7	90 EUR netto
 VicFix J Profile 80 mm	20×10×80	4	80×120	0,08	TEL/MAIL
 VicFix Corner	80×83×21,5	4 rights + 4 lefts	175×105×35	0,535	36 EUR netto
 VicFix Gauge	50×10×650	2	Ø 85×700	0,8	25 EUR netto
 VicFix Frame 1×3	1600×400×21	1	1610×500×50	2,0	37 EUR netto
 VicFix Frame 2×2	1000×1000×21	1	1100×900×50	3,0	37 EUR netto
 VicFix Metallic	75×10	10	85×55	0,2	24 EUR netto
 VicFix Magnetic Round Metal Plate, Magnet, Rubber Caps and Screw	Ø 20 (Magnet) Ø 150 (Plate)	6	170×170×70	0,6	49 EUR netto
 VicFix Base	595×595×12	2	630×610×40		49 EUR netto
 Vari Bass Stacker	402×Ø 368	1	510×510×100	2,0	75 EUR netto
 Super Bass Extreme Base	595×353×12	1	650×405×55	2,4	30 EUR netto

Accessories

Product Info		Packaging Info (Box)			Suggested Retail Price
Description	Size (mm)	Units / Box	Dimensions (mm)	Weight (kg)	Box
 AluFrame VMT 20 Single ● Black ● Silver ● Gold	25 × 33 × 3000	4	Ø 85 × 3050		239 EUR netto
 AluFrame VMT 20 Double ● Black ● Silver ● Gold	30 × 33 × 3000	4	Ø 85 × 3050		289 EUR netto
 AluFrame VMT T ● Black ● Silver ● Gold	8 × 1,9 × 3000	8	Ø 85 × 3050		110 EUR netto
 AluFrame VicWallpaper ● Black ● Silver ● Gold	8 × 4,6 × 3000	4	Ø 85 × 3050		189 EUR netto
 AluFrame Connector Inner 90 (for AluFrame VMT 20 Single and Double)	30 × 30 × 7	8	80 × 120		39 EUR netto
 Flexi Glue Ultra	1 Tube - 310 ml	12	210 × 160 × 240		120 EUR netto
 Stand-Alone Black MDF, lacquer aluminum and a natural ash base	1833 × 525 × 604	1 (2 boxes)	(Box 1) 1910 × 680 × 145 (Box 2) 680 × 600 × 110		750 EUR netto

V/COUSTIC

INNOVATIVE ACOUSTIC SOLUTIONS

Main Office, R&D & Logistics

Avenida do Pólo 3, N.º 159, Carvalhosa
4590-137 Paços de Ferreira
Portugal

Office

Rua Quinta do Bom Retiro, N.º 16, Armazém 9
2820-690 Charneca da Caparica
Portugal
P (+351) 212 964 100

Info and Sales

E sales@vicoustic.com

www.vicoustic.com

