

March 2022 / Metric

Price List

Contents

 Hi-Fi & Home Cinema
  Public Spaces
 Professional Audio
  Workspaces

3-5	Acoustic Kits	
3	VicStudio VMT Box 	
3	VicStudio Box 	
4	VicCinema VMT Kit NEW 	
5	VicAudiophile VMT Kit 	
5	Cinema Line NEW    	
5	Piano VMT / Forte VMT / Fortissimo VMT	
6	GEN_VMT Collection	
6	GEN_VMT PENRAY 01 Cloud  	
6	GEN_VMT PENRAY 01 Tiles   	
6	GEN_VMT PENRAY 02 Tiles   	
7-12	Absorption Solutions	
7	Flat Panel VMT    	
8	VicSpacer / VicSpacer Plus NEW    	
8	VicSpacer XXL NEW    	
9	Vixagon VMT    	
10	VicWallpaper VMT    	
11	ViCloud Flat VMT  	
11	ViCloud 3D VMT  	
12	Suspended Baffle VMT 3D 	
12	Suspended Baffle PET 	
13-14	VicOffice Line 	
13	VicOffice Desk Lat	
13	VicOffice Desk Top	
14	VicOffice Cloud	
14	VicOffice Suspended Divider	
14	VicOffice Wall	
15-20	Diffusion Solutions	
15	VicPattern Ultra Wavewood   	
15	VicPattern Ultra   	
16	Flexi Wave Ultra   	
16	Wavewood Ultra Lite  	
16	Flexi Wood Ultra Lite  	
17	Wavewood Diffuser Ultra  	
17	Cinema Round Ultra VMT  	
17	Cinema Round Ultra Fuser   	
18	Cinema Round Premium    	
18	Multifuser Wood MKII   	
18	Multifuser DC2 / DC3 NEW  	
19	Trap Fuser  	
19	Super Bass Extreme Ultra   	
19	Super Bass Extreme VMT  	
20	VicTotem Ultra VMT  	
20	Vari Bass Ultra  	
20	Flexi Screen Ultra 	
21	Insulation Solutions 	
22	Budget Line 	
23-24	Accessories    	
25-30	VicBooth Ultra 	
29-29	Components	
30	Extension Hardware Kits	
31-36	VicBooth Office NEW 	
34-35	Components	
36	Extension Hardware Kits	
37	VicBooth Accessories	


All prices subject to change without further notice. All prices are in EURO, Ex VAT or any sales tax and EXWORKS. Prices might vary depending on your local market and regulatory requirements, customs, etc.

This Price List is continually updated with new and amended details. Vicoustic accepts no liability for any eventuality arising from the use of errors contained in this Price List. Vicoustic reserves the right to correct errors or misprints.

VMT products in the color white may show some impurities due to PET recycling.


The product images used are illustrative and may differ from the actual product.

VicStudio VMT Box HS CODE: 39211310 PA



VicStudio VMT Box - Grey

Contents and Dimensions



VMT + EPS colors

-  White Wavewood VMT Pattern + White Multifuser DC2
-  Black Wavewood VMT Pattern + Black Multifuser DC2
-  Grey Wavewood VMT Pattern + Grey Multifuser DC2

More information on www.vicoustic.com/product/vicstudio-vmt-box


Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
VicStudio VMT Box	—	5,6	16	(3 x) 1228 x 180 x 105; 1265 x 665 x 190; 1265 x 665 x 355	TBA	1575 EUR netto	

Raw Materials: VicPET Wool, Solid Wood and Lacquered Steel; Expanded Polystyrene
Fire Rate: TBA

Acoustic Properties: Medium frequencies
 Absorption and Diffusion
NRC: TBA


Installation/Accessories:
 VicFix Mini, VicFix Corner and Glue (included)

VicStudio Box HS CODE: 44101110 PA



VicStudio Box - Brown Oak

Contents and Dimensions



Wood + EPS colors

-  Brown Oak + Black Multifuser DC2
-  Black Matte + Black Multifuser DC2
-  White Matte + White Multifuser DC2


More information on www.vicoustic.com/product/vicstudio-box

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
VicStudio Box	—	3,5	10	1260 x 675 x 355	TBA	595 EUR netto	


Raw Materials: Standard MDF, polyurethane foam and Melamine; Expanded Polystyrene
Fire Rate: TBA

Acoustic Properties:
 Absorption / Difusion / Bass Trap
NRC: TBA

Installation/Accessories:
 Glue (included)



VicCinema VMT Kit ^{NEW} HS CODE: 39211310 ^{HF}



VicCinema VMT Walls & Ceiling Kit
- Rosemary Green Pattern

Dimensions



VicSpacer Plus with Flat Panel VMT
(4 ×) 1194 × 599 × 66 mm



VicPattern Ultra Triangles
(4 ×) 595 × 595 × 50 mm

More information on
www.vicoustic.com/product/viccinema-vmt-kit

Finishes



Dark Grey
+ Black Matte



Rosemary Green
+ Natural Oak



Grey
+ Dark Wenge



Dark Grey
Pattern
+ Black Matte



Rosemary
Green Pattern
+ Natural Oak



Grey Pattern
+ Dark Wenge

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
VicCinema VMT Walls & Ceiling Kit	—	4,21	12 / 5 boxes	(2×) 1225 × 180 × 110; 630 × 630 × 350; 1290 × 660 × 105; 665 × 675 × 250	83,2	1155 EUR netto	

Raw Materials: VicPET Wool, Solid Wood,
Lacquered Steel, MDF and Melamine
Fire Rate: N/A


Acoustic Properties:
Low and Medium Frequencies Absorption
NRC: 0,95 (VicSpacer Plus with Flat Panel VMT)

Installation/Accessories:
VicFix J Profile (included)



VicCinema VMT Bass Trap Kit - Dark Grey

Dimensions



Mega Bass Trap VMT
1788 × 680 × 384 mm

More information on
www.vicoustic.com/product/viccinema-vmt-kit

Finishes



Dark Grey



Rosemary
Green



Grey

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
VicCinema VMT Mega Bass Trap Kit	—	2,44	2 / 1 box	1845 × 700 × 155	32	1025 EUR netto	

Raw Materials: VicPET Wool, MDF,
Lacquered Steel

Fire Rate: N/A
NRC: N/A

Installation/Accessories:
All installation accessories included

The **VicCinema VMT Kit** is an acoustic kit developed to maximize the acoustic conditions of a Home Cinema. The kit is available in two options: a kit with products for installation on walls and ceilings and a bass trap kit for corners.

Depending on the size of your room, or the performance you want to achieve, by acquiring one or more of these kits you will be able to achieve the main goal of a Home Cinema: a neutral acoustic environment, that assures a clear and complete film audio experience without introducing any acoustic distortions that can compromise its perception.



VicAudiophile VMT Kit HS CODE: 39211310 HF



VicStudio VMT Box - Grey

Contents and Dimensions

VicSpacer Plus with Flat Panel VMT
(4 x) 1194 x 599 x 66 mmMultifuser Wood MKII 64
(2 x) 595 x 595 x 143 mmVicPattern Ultra Wavewood
(4 x) 595 x 595 x 50 mm

Finishes

VicPattern Ultra Wavewood



Multifuser Wood MKII



Flat Panel VMT

More information on www.vicoustic.com/product/vicaudiophile-vmt-kit

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
VicAudiophile VMT Kit	—	4,9	16	1265 x 665 x 350; 665 x 665 x 255; (2 x) 1228 x 180 x 105; (2 x) 625 x 330 x 190	91,2	2130 EUR netto	

Raw Materials: VicPET Wool, Solid Wood and Lacquered Steel; VicPET Wool, MDF and Melamine; Solid Wood

Fire Rate: TBA

Acoustic Properties: Medium frequencies Absorption and Diffusion

NRC: TBA

Installation/Accessories:


VicFix J Profile; VicFix Corner (included)

Cinema Line NEW HS CODE: 39211310 HF PA PS WS



Cinema Line - Piano VMT, Grey Stone; Forte VMT, Calacatta Crema; Fortissimo VMT, Concrete 1

Dimensions

Piano VMT / Forte VMT / Fortissimo VMT
595 x 595 x 60 / 120 / 120 mm

Finishes

More information on www.vicoustic.com/search/cinema-familyFor customized graphics or colors, contact: sales@vicoustic.com

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
Cinema Piano VMT	595 x 595 x 60	0,70	2	665 x 675 x 195	3,50	255 EUR netto	
Piano Calacatta Crema / Grey Stone	595 x 595 x 60	0,70	2	665 x 675 x 195	3,50	275 EUR netto	
Cinema Forte VMT	595 x 595 x 120	0,70	2	665 x 675 x 355	4,75	295 EUR netto	
Forte Calacatta Crema / Grey Stone	595 x 595 x 120	0,70	2	665 x 675 x 355	4,75	315 EUR netto	
Cinema Fortissimo VMT	595 x 595 x 120	0,70	2	665 x 675 x 355	6,25	330 EUR netto	
Fortissimo Calacatta Crema / Grey Stone	595 x 595 x 120	0,70	2	665 x 675 x 355	6,25	350 EUR netto	

Raw Materials: VicPET Wool, ViCycle, MDF and Lacquered Steel

Fire Rate: TBA

Acoustic Properties: Broadband Absorption

NRC: Piano/Forte/Fortissimo: 0,95

Installation/Accessories:


VicFix Mini (included), VicFix J Profile

GEN_VMT PENRAY 01 Cloud HS CODE: 39211310 PS WS



GEN_VMT PENRAY 01 Cloud - Bondi Blue 2

Dimensions



1187×949×20 mm

More information on www.vicoustic.com/product/gen_vmt-penray-01-cloud

VMT colors



Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
GEN_VMT PENRAY 01 Cloud	1187×949×20	0,77	1	1060×1480×65	TBA	210 EUR netto	


Raw Materials: VicPET Wool**Fire Rate:** Europe: Euroclass B S2, d0;
USA: Class A (ASTM-E84)**Acoustic Properties:**

Medium and High Frequencies Absorption

Installation/Accessories:


Mechanical and Magnetic Suspended Fixation

GEN_VMT PENRAY 01 Tiles HS CODE: 39211310 HF PS WS



GEN_VMT PENRAY 01 Tiles - Coral

Dimensions



A - 400×460×20 mm / B - 230×320×20 mm

More information on www.vicoustic.com/product/gen_vmt-penray-01-tiles

VMT colors




Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
GEN_VMT PENRAY 01 Tiles	A - 400×460×20 B - 230×320×20	1,20	12	780×470×95	1,8	180 EUR netto	

Raw Materials: VicPET Wool**Fire Rate:** Europe: Euroclass C s2, d0;
USA: Class A (ASTM-E84)**Acoustic Properties:**Medium and High Frequencies Absorption
NRC: 0,30**Installation/Accessories:**


Double sided tape, Flexi Glue Ultra

GEN_VMT PENRAY 02 Tiles HS CODE: 39211310 HF PS WS



GEN_VMT PENRAY 02 Tiles - Moss Green


Dimensions



355×355×20 mm (unit)

More information on www.vicoustic.com/product/gen_vmt-penray-02-tiles

VMT colors



Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
GEN_VMT PENRAY 02 Tiles	355×355×20	1,56	12	780×470×95	1,8	165 EUR netto	

Raw Materials: VicPET Wool**Fire Rate:** Europe: Euroclass C s2, d0;
USA: Class A (ASTM-E84)**Acoustic Properties:**Medium and High Frequencies Absorption
NRC: 0,30**Installation/Accessories:**

Double sided tape, Flexi Glue Ultra

Flat Panel VMT


HS CODE: 39211310



Dimensions

595×595
×20 / 40 mm

1190×595×20 / 40 mm



2380×1190×20 mm

VMT colors



* Available only in selected sizes

Flat Panel VMT, 595×595×40 mm
- Natural Stones Collection, Moonlight Grey

Collections and Patterns available on www.vicoustic.com/product/flat-panel-vmt
For customized graphics or colors, contact: sales@vicoustic.com

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
60.20 Standard Collections	595×595×20	2,83	8	665×675×195	4,4	240 EUR netto	
60.20 Natural Stones	595×595×20	2,83	8	665×675×195	4,4	260 EUR netto	
60.20 Standard Collections	595×595×20	1,42	4	650×650×95	2,2	120 EUR netto	
60.20 Natural Stones	595×595×20	1,42	4	650×650×95	2,2	140 EUR netto	
60.40 VMT Colors	595×595×40	2,83	8	665×675×355	8,0	290 EUR netto	
120.20 Standard Collections	1190×595×20	5,66	8	1260×675×190	9,6	480 EUR netto	
120.20 Natural Stones	1190×595×20	5,66	8	1260×675×190	9,6	520 EUR netto	
120.20 Standard Collections	1190×595×20	2,83	4	1245×650×95	4,8	240 EUR netto	
120.20 Natural Stones	1190×595×20	2,83	4	1245×650×95	4,8	260 EUR netto	
120.40 VMT Colors	1190×595×40	5,66	8	1260×675×355	17,0	545 EUR netto	
240.20 Standard Collections	2380×1190×20	22,66	8	2470×1275×170	19,2	1499 EUR netto	
240.20 Natural Stones	2380×1190×20	22,66	8	2470×1275×170	19,2	1499 EUR netto	

Raw Materials: VicPET Wool

Fire Rate: 20 mm: Europe: Euroclass B -s2, d0; USA: Class A (ASTM-E84); Canada: CAN/ULC S102, Flame Spread Rating: 5, Smoke Developed Classification: 115; 40 mm: Europe: Euroclass B - s2, d0; USA: Class A (ASTM-E84); Canada: N/A

Acoustic Properties: Medium and High Frequencies Absorption

NRC: 20 mm: 0,55; 40 mm: 0,70

Installation/Accessories: Velcro (included), Flexi Glue Ultra, AluFrame Single, AluFrame Double, AluFrame VMT T, VicSpacer, VicSpacer Plus



Front wall: Customized Flat Panel VMT (2380×1190mm) with AluFrame Double
Side walls and ceiling: Flexi Wave Ultra and Cinema Round Premium; Floor: VicTotem Ultra

VicSpacer / VicSpacer Plus ^{NEW}

HS CODE: 39211310




VicSpacer / VicSpacer Plus Grey Matte

Dimensions



VicSpacer / VicSpacer Plus: 599 × 1194 × 66 mm

Colors



More information on
www.vicoustic.com/search/vicspacer

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
VicSpacer	599 × 1194 × 66	2,80	4 / 2 boxes	(2×) 1210 × 155 × 98	(2×) 15	495 EUR netto	
VicSpacer Plus	599 × 1194 × 66	2,80	4 / 3 boxes	(2×) 1210 × 155 × 98 + (1×) 665 × 675 × 355	(2×) 15 + (1×) 8	575 EUR netto	

Raw Materials: Wood and Lacquered Steel
Fire Rate: N/A

NRC: 0.85 (VMT 20 mm + VicSpacer);
 0.95 (VMT 20 mm + VicSpacer Plus)

Installation/Accessories:
 VicFix Mini (included), VicFix J Profile,
 VicFix Corner and VicFix J Profile 80mm

VicSpacer XXL ^{NEW}

HS CODE: 39211310




VicSpacer XXL Grey Matte

Dimensions



VicSpacer XXL: 2384 × 1194 × 66 mm

Colors



More information on
www.vicoustic.com/product/vicspacer-xxl

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
VicSpacer XXL	2384 × 1194 × 66	2,80	1	(2×) 2430 × 150 × 100	19	375 EUR netto	

Raw Materials: Wood and Lacquered Steel
Fire Rate: N/A

NRC: 0.85 (VMT XXL 20 mm + VicSpacer XXL)

Installation/Accessories:



VicSpacer is a new fixation system for Flat Panel VMT, specially developed to improve the acoustics of any room.

By spacing the panel 40 mm away from the walls / ceiling, VicSpacer helps to enhance the Flat Panel VMT acoustic performance in the medium / low-frequency regions.


Vixagon VMT

HS CODE: 39211310



Vixagon VMT, 20 mm - Natural Stones, Calacatta Carrara

Dimensions



20 / 40
700×606×20 / 40 mm



20.Mini + Diamond
350×305×20 mm

Collections and Patterns available on
www.vicoustic.com/product/vixagon-vmt
For customized graphics or colors,
contact: sales@vicoustic.com

VMT colors



Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
20 Standard Collections	700×606×20	3,82	12	745×650×390	8,0	460 EUR netto	
20 Natural Stones	700×606×20	3,82	12	745×650×390	8,0	499 EUR netto	
20.Mini Standard Collections	350×305×20	3,82	36 + 36	745×650×390	8,0	435 EUR netto	
20.Mini Natural Stones	350×305×20	3,82	36 + 36	745×650×390	8,0	460 EUR netto	
40 Standard Collections	700×606×40	1,91	6	745×650×390	8,0	350 EUR netto	
40 Natural Stones	700×606×40	1,91	6	745×650×390	8,0	380 EUR netto	


Raw Materials: VicPET Wool

Acoustic Properties: Medium and High Frequencies Absorption

NRC: 20 mm: 0,55; 40 mm: 0,70

Installation/Accessories: Velcro; Flexi Glue Ultra

Fire Rate: 20 mm: Europe: Euroclass B -s2, d0; USA: Class A (ASTM-E84); Canada: CAN/ULC S102, Flame Spread Rating: 5, Smoke Developed Classification: 115; 40 mm: Europe: Euroclass B - s2, d0; USA: Class A (ASTM-E84); Canada: N/A




VicWallpaper VMT

HS CODE: 39211310



VicWallpaper VMT, Deck - Beige

Dimensions



Square 30
595 / 1190 × 595
× 10 mm

Square 8
595 / 1190 × 595
× 10 mm

Deck
595 / 1190 × 595
× 10 mm

Triangles
595 / 1190 × 595
× 10 mm

Symmetric
595 / 1190 × 595
× 10 mm

VMT colors

Collections and Patterns available on www.vicoustic.com/product/vicwallpaper-vmtFor customized graphics or colors, contact: sales@vicoustic.com

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
Square 30.60	595 × 595 × 10	2,83	8	615 × 640 × 130	3,5	190 EUR netto	
Square 30.120	1190 × 595 × 10	5,66	8	1245 × 615 × 130	7,0	290 EUR netto	
Square 8.60	595 × 595 × 10	2,83	8	615 × 640 × 130	3,5	190 EUR netto	
Square 8.120	1190 × 595 × 10	5,66	8	1245 × 615 × 130	7,0	290 EUR netto	
Deck 60	595 × 595 × 10	2,83	8	615 × 640 × 130	3,5	190 EUR netto	
Deck 120	1190 × 595 × 10	5,66	8	1245 × 615 × 130	7,0	290 EUR netto	
Triangles 60	595 × 595 × 10	2,83	8	615 × 640 × 130	3,5	190 EUR netto	
Triangles 120	1190 × 595 × 10	5,66	8	1245 × 615 × 130	7,0	290 EUR netto	
Symmetric 60	595 × 595 × 10	2,83	8	615 × 640 × 130	3,5	190 EUR netto	
Symmetric 120	1190 × 595 × 10	5,66	8	1245 × 615 × 130	7,0	290 EUR netto	

Raw Materials: VicPET Wool**Fire Rate:** Europe: Euroclass C s2, d0;

USA: Class A (ASTM-E84); Canada: N/A

Acoustic Properties:

Medium and High Frequencies Absorption

NRC: 0,20**Installation/Accessories:**

Double-sided tape; Flexi Glue Ultra;

AluFrame VicWallpaper




「ESPACIO BANG & OLUFSEN」

Paseo Mallorca 5


ViCloud Flat VMT

HS CODE: 39211310



ViCloud VMT, Petal - Natural Woods, Oak


Dimensions




Round
Ø 1160 × 40 mm



Square
1160 × 1160 × 40 mm



Hexagon
1160 × 1005 × 40 mm



Petal
1160 × 1068 × 40 mm

VMT colors



Collections and Patterns available on www.vicoustic.com/product/vicloud-vmt
For customized graphics or colors, contact: sales@vicoustic.com

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
Round Standard Collections	Ø 1160 × 40	4,24	4	1267 × 1262 × 170	8,5	789 EUR netto	
Square Standard Collections	1160 × 1160 × 40	5,40	4	1267 × 1262 × 170	8,5	789 EUR netto	
Hexagon Standard Collections	1160 × 1005 × 40	3,48	4	1267 × 1262 × 170	8,5	789 EUR netto	
Petal Standard Collections	1160 × 1068 × 40	2,45	4	1267 × 1262 × 170	8,5	789 EUR netto	
ViCloud Natural Stones	—	—	4	1267 × 1262 × 170	8,5	819 EUR netto	

Raw Materials: VicPET Wool

Fire Rate: Europe: Euroclass B - s2, d0;
USA: Class A (ASTM-E84); Canada: N/A

Acoustic Properties:

Medium and High Frequencies Absorption

Installation/Accessories:

Magnetic and Mechanical Suspended Fixation (included)


ViCloud 3D VMT

HS CODE: 39211310



ViCloud VMT, Hexagon - Natural Stones, Patagonia


Dimensions




Round
Ø 1160 × 40 mm



Square
1160 × 1160 × 40 mm



Hexagon
1160 × 1005 × 40 mm



Petal
1160 × 1068 × 40 mm

VMT colors



Collections and Patterns available on www.vicoustic.com/products/vicloud-3d
For customized graphics or colors, contact: sales@vicoustic.com

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
Round Standard Collections	Ø 1160 × 40	4,24	4	1267 × 1262 × 170	8,5	799 EUR netto	
Square Standard Collections	1160 × 1160 × 40	5,40	4	1267 × 1262 × 170	8,5	799 EUR netto	
Hexagon Standard Collections	1160 × 1005 × 40	3,48	4	1267 × 1262 × 170	8,5	799 EUR netto	
Petal Standard Collections	1160 × 1068 × 40	2,45	4	1267 × 1262 × 170	8,5	799 EUR netto	
ViCloud Natural Stones	—	—	4	1267 × 1262 × 170	8,5	829 EUR netto	

Raw Materials: VicPET Wool

Fire Rate: Europe: Euroclass B - s2, d0;
USA: Class A (ASTM-E84); Canada: N/A

Acoustic Properties:

Medium and High Frequencies Absorption

Installation/Accessories:

Magnetic and Mechanical Suspended Fixation (included)

Suspended Baffle VMT 3D HS CODE: 39211310 PS



Suspended Baffle VMT 3D, Beige

Dimensions



1190 × 595 × 35 mm

Collections and Patterns available on
www.vicoustic.com/product/suspended-baffle-3d
 For customized graphics or colors,
 contact: sales@vicoustic.com

VMT colors



Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
Suspended Baffle VMT 3D	1190 × 595 × 35	5,66	8	1260 × 675 × 355	17,0	750 EUR netto	


Raw Materials: VicPET Wool**Fire Rate:** USA: Class A (ASTM-E84); Europe: Euroclass B, s2 d0**Acoustic Properties:** Absorption**Installation/Accessories:** Wire Rope (steel cable with a hook) Fixation System (included)

Suspended Baffle PET HS CODE: 39211310 PS



Suspended Baffle PET Black / White


Dimensions



1190 × 595 × 40 mm

More information available on www.vicoustic.com/product/suspended-baffle-pet

PET colors



Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
Suspended Baffle PET	1190 × 595 × 40	4,25	6	1220 × 620 × 280	TBA	365 EUR netto	

Raw Materials: VicPET Wool**Fire Rate:** Europe: Euro Class B S1, d0 (EM 13501-1);

USA: White PET: Class B (STM-E84) | Black PET: Class A (ASTM-E84)


Acoustic Properties: Absorption**Installation/Accessories:** Wire Rope (steel cable with a hook) Fixation System (included)

VicOffice Desk Lat HS CODE: 44101110 WS



VicOffice Desk Lat 614×389 - Pumpkin Orange

Dimensions



614 × 389 × 10 mm / 764 × 389 × 10 mm
/ 614 × 539 × 10 mm / 764 × 539 × 10 mm

VMT colors



More information on www.vicoustic.com/product/vicoffice-desk-lat

For customized graphics or colors, contact: sales@vicoustic.com

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
VicOffice Desk Lat	614 × 389 × 10	—	1	625 × 404 × 47		129 EUR netto	
VicOffice Desk Lat	764 × 389 × 10	—	1	620 × 545 × 47		139 EUR netto	
VicOffice Desk Lat	614 × 539 × 10	—	1	778 × 404 × 55		139 EUR netto	
VicOffice Desk Lat	764 × 539 × 10	—	1	778 × 554 × 55		149 EUR netto	

Raw Materials: VicPET Wool

Fire Rate: Europe: Euroclass B - s2, d0;

USA: Class A (ASTM-E84); Canada: N/A

Acoustic Properties:

Medium / High Frequencies Absorption

Accessories:


VicOffice Feet (included)

VicOffice Desk Top HS CODE: 44101110 WS



VicOffice Desk Top 914 × 539 - Green

Dimensions



914 × 389 × 10 mm / 914 × 539 × 10 mm /
1214 × 389 × 10 mm / 1214 × 539 × 10 mm /
1364 × 389 × 10 mm / 1364 × 539 × 10 mm

VMT colors



More information on www.vicoustic.com/product/vicoffice-desk-top

For customized graphics or colors, contact: sales@vicoustic.com

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
VicOffice Desk Top	914 × 389 × 10	—	1	928 × 404 × 55		149 EUR netto	
VicOffice Desk Top	914 × 539 × 10	—	1	928 × 554 × 55		159 EUR netto	
VicOffice Desk Top	1214 × 389 × 10	—	1	1228 × 404 × 55		159 EUR netto	
VicOffice Desk Top	1214 × 539 × 10	—	1	1228 × 554 × 55		169 EUR netto	
VicOffice Desk Top	1364 × 389 × 10	—	1	1375 × 404 × 47		169 EUR netto	
VicOffice Desk Top	1364 × 539 × 10	—	1	1375 × 554 × 55		179 EUR netto	

Raw Materials: VicPET Wool

Fire Rate: Europe: Euroclass B - s2, d0;

USA: Class A (ASTM-E84); Canada: N/A

Acoustic Properties:

Medium / High Frequencies Absorption

Accessories:


VicOffice Feet (included)

VicOffice Cloud HS CODE: 44101110 WS



VicOffice Cloud - Beige

Dimensions



1000×1000×40 mm

More information on www.vicoustic.com/product/vicoffice-cloudFor customized graphics or colors, contact: sales@vicoustic.com

VMT colors



Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
VicOffice Cloud	1000×1000×40	—	1	1155×1031×48		269 EUR netto	

Raw Materials: VicPET Wool**Fire Rate:** Europe: Euroclass C - s2, d0;
USA: N/A; Canada: N/A**Acoustic Properties:**

Medium / High Frequencies Absorption


Accessories:VicOffice Mechanical and Magnetic
Suspended Fixation (included)

VicOffice Suspended Divider HS CODE: 44101110 WS



VicOffice Suspended Divider - Grey

Dimensions



(2×) 1190×595×10 mm

More information on www.vicoustic.com/product/vicoffice-suspended-dividerFor customized graphics or colors, contact: sales@vicoustic.com

VMT colors



Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
VicOffice Suspended Divider	(2×) 1190×595×10	—	1	1305×606×40		199 EUR netto	


Raw Materials: VicPET Wool**Fire Rate:** Europe: Euroclass B - s2, d0;
USA: Class A (ASTM-E84); Canada: N/A**Acoustic Properties:**

Medium / High Frequencies Absorption

Accessories:


VicOffice Suspension Cables

VicOffice Wall HS CODE: 44101110 WS



VicOffice Wall 1190×595 / 595×595 - Blue

Dimensions



1190 / 595 × 595 × 10 mm

More information on www.vicoustic.com/product/vicoffice-wallFor customized graphics or colors, contact: sales@vicoustic.com

VMT colors



Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
VicOffice Wall	595×595×10	—	1	606×606×40		119 EUR netto	
VicOffice Wall	1190×595×10	—	1	1201×606×37		149 EUR netto	


Raw Materials: VicPET Wool**Fire Rate:** Europe: Euroclass B - s2, d0;
USA: Class A (ASTM-E84); Canada: N/A**Acoustic Properties:**Medium / High Frequencies Absorption
NRC: 0,30**Accessories:**

VicOffice Brackets (included)

VicPattern Ultra **Wavewood** HS CODE: 44101110



Dimensions



595 × 595 × 50 mm

Wood colors

	Black Matte		Dark Wenge
	White Matte		Locarno Cherry
	Metallic Copper		Brown Oak
	Metallic Gold		Natural Oak

More information on www.vicoustic.com/product/vicpattern-ultra-wavewood

For customized graphics or colors, contact: sales@vicoustic.com

VicPattern Ultra Wavewood - Brown Oak

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
VicPattern Ultra Wavewood	595 × 595 × 50	1,06	3	665 × 675 × 195	14	215 EUR netto / 245 EUR netto	

Raw Materials: VicPET Wool, MDF, Melamine

Fire Rate: TBA

Acoustic Properties: Medium and High

Frequencies Absorption and Diffusion

NRC: 0,70

Installation/Accessories:

VicFix J Profile (included); VicFix Corner

BLACK Matte

VicPattern Ultra HS CODE: 44101110



Dimensions



Lilly

595 × 595 × 50 mm




Lis

595 × 595 × 50 mm




Lotus

595 × 595 × 50 mm



Symmetric

595 × 595 × 50 mm



Reflex

595 × 595 × 50 mm

Wood colors

	Black Matte		Metallic Copper		Dark Wenge		Brown Oak
	White Matte		Metallic Gold		Locarno Cherry		Natural Oak

VicPattern Ultra - Lilly: Locarno Cherry; Symmetric: Metallic Copper; Reflex: Natural Oak

More information on www.vicoustic.com/product/vicpattern-ultra

For customized graphics or colors, contact: sales@vicoustic.com

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
VicPattern Ultra	595 × 595 × 50	1,06	3	665 × 675 × 195	14	215 / 245 EUR netto Blk M	
VicPattern Ultra Lis	595 × 595 × 50	1,06	3	665 × 675 × 195	14	215 / 245 EUR netto Blk M	
VicPattern Ultra Lotus	595 × 595 × 50	1,06	3	665 × 675 × 195	14	215 / 245 EUR netto Blk M	
VicPattern Ultra Symmetric	595 × 595 × 50	1,06	3	665 × 675 × 195	14	215 / 245 EUR netto Blk M	
VicPattern Ultra Reflex	595 × 595 × 50	1,06	3	665 × 675 × 195	14	215 / 245 EUR netto Blk M	

Raw Materials: VicPET Wool, MDF, Melamine

Fire Rate: TBA

Acoustic Properties: Medium and High

Frequencies Absorption and Diffusion

Installation/Accessories:

VicFix J Profile (included); VicFix Corner


Flexi Wave Ultra

HS CODE: 39211310




Flexi Wave Ultra - 120: Brown Oak; 60: Natural Oak

Dimensions



Wood colors

More information on www.vicoustic.com/product/flexi-wave-ultra

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
Flexi Wave Ultra 60	595×100×150	0,36	6	605×620×185	5,2	275 EUR netto	
Flexi Wave Ultra 120	1190×100×150	0,72	6	1220×620×185	10,4	450 EUR netto	


Raw Materials: VicPET Wool, MDF, Melamine
Fire Rate: TBA

Acoustic Properties: Medium Frequencies
 Absorption and Diffusion
NRC: 0,70

Installation/Accessories:
 VicFix J Profile (included); Flexi Glue Ultra


Wavewood Ultra Lite

HS CODE: 39211310




Wavewood Ultra Lite - Brown Oak

Dimensions



595×595×45 mm

Wood colors

More information on www.vicoustic.com/product/wavewood-ultra-lite

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
Wavewood Ultra Lite	595×595×45	2,83	8	665×675×355	—	479 EUR netto	


Raw Materials: Polyurethane Foam, MDF
 and Melamine
Fire Rate: TBA

Acoustic Properties:
 Medium Frequencies Absorption
NRC: 0.75

Installation/Accessories:
 Flexi Glue Ultra


Flexi Wood Ultra Lite

HS CODE: 39211310




Flexi Wood Ultra Lite - Locarno Cherry

Dimensions



595×595×54 mm

Wood colors

More information on www.vicoustic.com/product/flexi-wood-ultra-lite

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
Flexi Wood Ultra Lite	595×595×54	2,12	6	620×620×330	10,0	479 EUR netto	

Raw Materials: Polyurethane Foam, MDF
 and Melamine
Fire Rate: TBA

Acoustic Properties: Medium and Medium-low
 Frequencies Absorption
NRC: 0,60


Installation/Accessories:
 VicFix J Profile (using VicFix Base);
 Flexi Glue Ultra

Wavewood Diffuser Ultra HS CODE: 39203000 HF PA



Wavewood Diffuser Ultra - Locarno Cherry

Dimensions



595×595×60 mm

More information on www.vicoustic.com/product/wavewood-diffuser-ultra

Wood colors

	Black Matte		Dark Wenge
	White Matte		Locarno Cherry
	Metallic Copper		Brown Oak
	Metallic Gold		Natural Oak

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
Wavewood Diffuser Ultra	595×595×60	1,06	3	665×667×195	5,5	175 EUR netto	

Raw Materials:

EPS (Expanded Polystyrene), Melamine

Fire Rate: Euroclass E

Acoustic Properties:

Medium frequencies Diffusion

NRC: 0,30

Installation/Accessories:


VicFix J Profile or VicFix Corner (using VicFix Base); Flexi Glue Ultra

Cinema Round Ultra VMT HS CODE: 44101110 HF PA



Cinema Round Ultra VMT - Natural Oak + Beige


Dimensions



595×595×170 mm

More information on www.vicoustic.com/product/cinema-round-ultra-vmt

Wood colors



VMT colors



Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
Cinema Round Ultra Fuser	595×595×170	0,70	2	665×675×405	10,4	270 EUR netto	

Raw Materials: VicPET Wool, MDF, Melamine

Fire Rate: TBA

Acoustic Properties:

Medium and High Frequencies Absorption

NRC: 0,90

Installation/Accessories:


VicFix J Profile (Included); VicFix Corner

Cinema Round Ultra Fuser HS CODE: 44101110 HF PA



Cinema Round Ultra Fuser - Brown Oak

Dimensions



595×595×170 mm

More information on www.vicoustic.com/product/cinema-round-ultra-fuser

Wood colors

	Black Matte		Dark Wenge
	White Matte		Locarno Cherry
	Metallic Copper		Brown Oak
	Metallic Gold		Natural Oak

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
Cinema Round Ultra Fuser	595×595×170	0,70	2	665×675×405	10,4	250 EUR netto	

Raw Materials: VicPet Wool, MDF, Melamine

Fire Rate: TBA

Acoustic Properties:

Diffuser

Installation/Accessories:

VicFix J Profile (Included); VicFix Corner

Cinema Round Premium

HS CODE: 39211310



Dimensions



595×595×75 mm

Fabric colors



Cinema Round Premium - Blue

More information on www.vicoustic.com/product/cinema-round-premium

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
Cinema Round Premium	595×595×50	2,83	8	630×630×620	9,1	380 EUR netto	

Raw Materials: Polyurethane Foam, Fabric**Fire Rate:** Europe: Euroclass F

Acoustic Properties:

Medium and High Frequencies Absorption

NRC: 0,95

Installation/Accessories:


VicFix J Profile or VicFix Corner (using VicFix Base); Flexi Glue Ultra

Multifuser Wood MKII


HS CODE: 44101110



Dimensions



36: 595×595×96 mm



64: 595×595×143 mm

Wood colors



Multifuser Wood MKII - 36: Metallic Gold; 64: Natural Wood

More information on www.vicoustic.com/product/multifuser-wood-mkii

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
Multifuser Wood MKII 36	595×595×96	0,35	1	625×330×140	15,2	294 EUR netto	
Multifuser Wood MKII 64	595×595×143	0,35	1	625×330×190	19,6	294 EUR netto	

Raw Materials: Solid Wood**Fire Rate:** Europe: Euroclass E;

USA: Class B (ASTM-E84)

NRC: 36: 0.25; 64: 0.35


Acoustic Properties: Diffusion

Installation/Accessories:


VicFix J Profile (included)

Multifuser DC2 / DC3 ^{NEW}


HS CODE: 39203000



Dimensions



595×595×148 mm



DC2 DC3

EPS colors

**Multifuser DC3** is available now and is replacing Multifuser DC2 that will be continued to be sold until stock lasts.More information on vicoustic.com/product/multifuser-dc2 and vicoustic.com/product/multifuser-dc3

Multifuser DC2 and DC3 - Grey

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
Multifuser DC2	595×595×148	2,10	6	710×710×615	11,4	-----	
Multifuser DC3 ^{NEW}	595×595×148	1,40	4	710×710×615	7,6	240 EUR netto	

Raw Materials: EPS (Expanded Polystyrene)**Fire Rate:** Europe: Euroclass F**Acoustic Properties:** Medium frequencies Diffusion**Installation/Accessories:** DC2: VicFix J Profile (using VicFix Base); Flexi Glue Ultra

// DC3: VicFix Mini (included), VicFix J Profile, Flexi Glue Ultra

Trap Fuser HS CODE: 39203000 HF PA



Trap Fuser Grey

Dimensions



595×595×169 mm

EPS colors

More information on www.vicoustic.com/product/trap-fuser

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
Trap Fuser Black	595×595×169	2,12	6	530×910×620	16,2	360 EUR netto	
Trap Fuser Grey	595×595×169	2,12	6	530×910×620	16,2	275 EUR netto	
Trap Fuser White	595×595×169	2,12	6	530×910×620	16,2	275 EUR netto	


Raw Materials: EPS (Expanded Polystyrene);**Fire Rate:** Europe: Euroclass E; USA: Class C (ASTM-E84)**Acoustic Properties:** Diffusion**Installation/Accessories:** VicFix Base, Flexi Glue Ultra

Super Bass Extreme Ultra HS CODE: 39211310 HF PA




Super Bass Extreme Ultra - Metallic Gold

Dimensions



595×595×155 mm

Wood colors

More information on www.vicoustic.com/product/super-bass-extreme-ultra

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
Super Bass Extreme Ultra	595×595×155	0,70	2	650×375×630	13,5	335 EUR netto	

Raw Materials:

VicPet Wool, Vicycle, MDF, Melamine

Fire Rate: TBA**Acoustic Properties:**

Low Frequencies Absorption; Bass Trap

Installation/Accessories: VicFix J Profile

(included); VicFix Corner; Flexi Glue Ultra or Manually assembled (no tools required)

Super Bass Extreme VMT HS CODE: 39211310 HF PA




Super Bass Extreme VMT - Natural Oak + Grey

Dimensions



595×595×155 mm

Wood colors

More information on www.vicoustic.com/product/super-bass-extreme-vmt

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
Super Bass Extreme VMT	595×595×155	0,70	2	650×375×630	13,5	335 EUR netto	

Raw Materials:

VicPet Wool, Vicycle, MDF, Melamine

Fire Rate: TBA**Acoustic Properties:**

Low Frequencies Absorption; Bass Trap

Installation/Accessories: VicFix J Profile

(included); VicFix Corner; Flexi Glue Ultra or Manually assembled (no tools required)

VicTotem Ultra VMT


HS CODE: 44101110



VicTotem Ultra VMT
- Natural Oak + 23a



Dimensions




1857 × 595 × 366 mm

Wood colors



VMT colors



More information on
www.vicoustic.com/product/victotem-ultra-vmt

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
VicTotem Ultra VMT (3 modules + 1 base)	1857 × 595 × 366	—	1 (4 boxes)	(3 ×) 665 × 675 × 355 + (1 ×) 650 × 405 × 60	21,5	899 EUR netto	
Single Module	595 × 595 × 277	—	1	665 × 675 × 355		340 EUR netto	

Raw Materials:

VicPET Wool, Vicycle, MDF, Melamine

Fire Rate: TBA

Acoustic Properties:

Low to High Frequency Absorption and
Diffusion; Bass Trap

Installation/Accessories:

Manually assembled (no tools required)

Vari Bass Ultra


HS CODE: 44101110



Vari Bass Ultra -
Brown Oak




Dimensions



Ø 370 × 600 mm

Wood colors



More information on www.vicoustic.com/product/vari-bass-ultra

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
Vari Bass Ultra	Ø 370 × 600	—	2	745 × 415 × 600	18,6	499 EUR netto	

Raw Materials:

MDF with melamine,
Foam covered with grey fabric

Fire Rate: TBA

Acoustic Properties:

Absorption / Bass Trap

Installation/Accessories:

Manually assembled (no tools required)


Flexi Screen Ultra MKII

HS CODE: 39211310




Flexi Screen Ultra MKII -
Natural Oak

Dimensions



385 × 295 × 345 mm

Wood colors



More information on www.vicoustic.com/product/flexi-screen-ultra-mkii

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m ² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m ²	Box
Flexi Screen Ultra MKII	385 × 295 × 345	—	1	450 × 340 × 405	3,4	116 EUR netto	

Raw Materials:

Polyurethane Foam, Melamine

Fire Rate: TBA

Acoustic Properties:

Absorption

Installation/Accessories:

Manually assembled, all accessories included

Insulation Solutions

Product Info			Packaging Info (Box)		Suggested Retail Price	
Description	Size (mm)	Units / Box	Dimensions (mm)	Weight (kg)	m²	Box
 VicVibro RCH1.01	—	50	323×238×143	4.8	tel. / e-mail	
Type of system: Rubber; Suitable for: Ceilings; Suitable profile size: 45/47 mm; Load range (per unit): 80-300 N						
 VicVibro SCH.01	—	40	323×238×143	4.8	tel. / e-mail	
Type of system: Hybrid (Rubber + Spring); Suitable for: Ceilings; Suitable profile size: 60 mm; Load range (per unit): 150-300 N						
 VicVibro RWM1.01	—	50	323 x 238 x 143	6,4	tel. / e-mail	
Type of system: Rubber; Suitable for: Structural Walls; Suitable profile size: 48/70/90 mm; Load range (per unit): 20-150 N (elong.); 50-400 N (comp.)						
 VicVibro SWM1.01	—	50	323×238×143	11.62	tel. / e-mail	
Type of system: Hybrid (Rubber + Spring); Suitable for: Structural Walls; Suitable profile size: 48/70/90 mm; Load range (per unit): 150-300 N						
 VicVibro RWM2.03	—	50	323 x 238 x 143	6,4	tel. / e-mail	
Type of system: Rubber; Suitable for: Double-stud walls; Suitable profile size: 48/70/90 mm; Load range (per unit): 20-150 N (elong.); 50-400 N (comp.)						
 VicVibro SWM2.01	—	50	323×238×143	11.62	tel. / e-mail	
Type of system: Hybrid (Rubber + Spring); Suitable for: Double-stud walls; Suitable profile size: 48/70/90 mm; Load range (per unit): 150-300 N						
 VicVibro WS50	—	200	625×329×188	14.94	tel. / e-mail	
Type of system: Rubber; Suitable for: Floating walls/partitions; Suitable profile size: 50 mm (U-runner profiles); Load range (per unit): 800 N						
 ViCycle 40 mm	1000×600×40	8	1000×600×320	12.2	tel. / e-mail	
 ViCycle 60 mm	1000×600×60	5	1000×600×300	10.4	tel. / e-mail	
 Iso Underfloor	50000×1500×5	1	Ø600×1500	12.2	tel. / e-mail	
 Iso Blanket	5000×1000×4	1	Ø200×100	39.8	tel. / e-mail	
 Iso Blanket Pro	5000×1000×10	1	Ø300×100	23	tel. / e-mail	
 Iso Wall Decoupling	10000×100×10	1	Ø300×100	0.45	tel. / e-mail	
 Rubberstrip	10000×10×5	1	270×270×13	1	tel. / e-mail	

More information on www.vicoustic.com/professional-audio/insulation

Budget Line

HS CODE: 39211310 

Product Info			Packaging Info (Box)				Suggested Retail Price	
	Description	Size (mm)	m² / Box	Units / Box	Dimensions (mm)	Weight (kg)	m²	Box
	Cinema Round	595×595×75	2,83	8	630×630×620	6,5	240 EUR netto	
	Raw Materials: Polyurethane Foam; Fire Rate: Europe: Euroclass F; Acoustic Properties: Medium and High Frequencies Absorption; NRC: 0,85							
	Flexi A50	600×600×50	4,32	12	630×630×620	6,3	240 EUR netto	
	Raw Materials: Polyurethane Foam; Fire Rate: Europe: Euroclass F; Acoustic Properties: Medium and High Frequencies Absorption; NRC: 0,60							
	Flexi Kick Drum	600×505×60	—	10	620×620×550	6,4	tel. / e-mail	
	Raw Materials: Polyurethane Foam; Fire Rate: Europe: Euroclass F; Acoustic Properties: Bass Drum Harmonic Control							
	Flexi Screen Lite V.2	438×295×355	—	6	255×255×255		58 EUR netto	
	Raw Materials: Polyurethane Foam; Fire Rate: Europe: Euroclass F; Acoustic Properties: Mobile Acoustic Shield							
	Flexi Wall	(3×) 1830×600×200	3,24	1	620×620×495	11,4	485 EUR netto	
	Raw Materials: Polyurethane Foam, Wood ; Fire Rate: Europe: Euroclass F; Acoustic Properties: High Frequencies Absorption							
	Super Kit	300×300×55	5,76	64	630×630×620	7,5	310 EUR netto	
	Super Kit Light		2,88	32	620×620×335	4,4	160 EUR netto	
	Raw Materials: Polyurethane Foam; Fire Rate: Europe: Euroclass F; Acoustic Properties: Medium and High Frequencies Absorption; NRC: 0,60							
	Super Bass 90	600×300×340	—	4	630×630×620	7,0	245 EUR netto	
	Raw Materials: Polyurethane Foam; Fire Rate: Europe: Euroclass F; Acoustic Properties: Low Frequencies Absorption, Bass Trap							
	Pulsar Panel	600×600×57	5,76	16	630×630×620	7,6	320 EUR netto	
	Raw Materials: Polyurethane Foam; Fire Rate: Europe: Euroclass F; Acoustic Properties: High Frequencies Absorption; NRC: 0,60							
	Mega Fuser Bass Trap	600×300×260	—	8	630×630×620	7,3	310 EUR netto	
	Raw Materials: Polyurethane Foam; Fire Rate: Europe: Euroclass F; Acoustic Properties: Low Frequencies Absorption, Bass Trap							
	Mix Kit Pulsar	—	—	8 + 4	630×630×620	7,6	320 EUR netto	
	8 Pulsar Panel + 4 Mega Fuser Bass Trap							

More information on www.vicoustic.com/professional-audio/budget-line


Accessories



Product Info		Packaging Info (Box)			Suggested Retail Price
Description	Size (mm)	Units / Box	Dimensions (mm)	Weight (kg)	Box
 VicFix J Profile	20 × 10 × 2000	20	Ø 85 × 2100	7,6	359 EUR netto
		5	Ø 75 × 2100	2,7	90 EUR netto
 VicFix J Profile 80 mm	20 × 10 × 80	4	80 × 120	0,08	tel. / e-mail
 VicFix Corner	80 × 83 × 21,5	4 rights + 4 lefts	175 × 105 × 35	0,535	36 EUR netto
 VicFix Gauge	50 × 10 × 650	2	Ø 85 × 700	0,8	25 EUR netto
 VicFix Frame 1 × 3	1600 × 400 × 21	1	1610 × 500 × 50	2,0	50 EUR netto
 VicFix Frame 2 × 2	1000 × 1000 × 21	1	1100 × 900 × 50	3,0	60 EUR netto
 VicFix Metallic	75 × 10	10	85 × 55	0,2	24 EUR netto
 VicFix Magnetic Round Metal Plate, Magnet, Rubber Caps and Screw	Ø 20 (Magnet) Ø 150 (Plate)	6	170 × 170 × 70	0,6	49 EUR netto
 VicFix Base	595 × 595 × 12	2	630 × 610 × 40		45 EUR netto
 Vari Bass Stacker	402 × Ø 368	1	510 × 510 × 100	2,0	75 EUR netto
 Super Bass Extreme Base	595 × 353 × 12	1	650 × 405 × 55	2,4	30 EUR netto

Accessories

HF PA PS WS

Product Info		Packaging Info (Box)			Suggested Retail Price
Description	Size (mm)	Units / Box	Dimensions (mm)	Weight (kg)	Box
 AluFrame VMT 20 Single ● Black ● Silver ● Gold	25 × 33 × 3000	4	Ø 85 × 3050		239 EUR netto
 AluFrame VMT 20 Double ● Black ● Silver ● Gold	30 × 33 × 3000	4	Ø 85 × 3050		289 EUR netto
 AluFrame VMT T ● Black ● Silver ● Gold	8 × 1,9 × 3000	8	Ø 85 × 3050		110 EUR netto
 AluFrame VicWallpaper ● Black ● Silver ● Gold	8 × 4,6 × 3000	4	Ø 85 × 3050		189 EUR netto
 AluFrame Connector Inner 90 (for AluFrame VMT 20 Single and Double)	30 × 30 × 7	8	80 × 120		39 EUR netto
 Flexi Glue Ultra	1 Tube - 310 ml	12	210 × 160 × 240		120 EUR netto
 Stand-Alone Black MDF, lacquer aluminum and a natural ash base	1833 × 525 × 604	1 (2 boxes)	(Box 1) 1910 × 680 × 145 (Box 2) 680 × 600 × 110		1079 EUR netto

VicBooth Ultra **Vocal Booth** HS CODE: 44189990 PA




Components

- 1 Module 1 × 1
- 1 Door with Window
- 1 Side with Window
- 2 Sides with VicFix
- 2 VicBooth Ultra Pack 1
(4 Cinema Round Premium, Black)

Available finishes

- Black
- White
- Natural Oak

Dimensions



1076 × 1030 × 2230 mm (Ext.)
968 × 968 × 2008 mm (Int.)

Product Info		Packaging Information			Suggested Retail Price
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)	
 VICB037	Black	1 unit / 9 boxes	(1 ×) 2120 × 255 × 190	219	tel. / e-mail
 VICB038	White		+ (2 ×) 1100 × 1100 × 160 +		
 VICB039	Natural Oak		(4 ×) 2210 × 1000 × 100 + (2 ×) 1260 × 675 × 195		

Raw Materials: see Components section (pages 27-28)

Noise Isolation Class (NIC)*: 30; **NIC (w/ CRP)**** 31

VicBooth Ultra **Practice Room** HS CODE: 44189990 PA




Components

- 1 Module 1 × 2
- 1 Door with Window
- 1 Standard Side
- 5 Sides with VicFix
- 2 VicBooth Ultra Pack 1
(4 Cinema Round Premium, Black)
- 2 VicBooth Ultra Pack 2
(4 VicPattern Ultra Wavewood, Black Matte)

Available finishes

- Black
- White
- Natural Oak

Dimensions



1076 × 2030 × 2230 mm (Ext.)
968 × 1968 × 2008 mm (Int.)

Product Info		Packaging Information			Suggested Retail Price
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)	
 VICB040	Black	1 unit / 16 boxes	(2 ×) 2120 × 255 × 190	353	tel. / e-mail
 VICB041	White		+ (4 ×) 1100 × 1100 × 160 +		
 VICB042	Natural Oak		(6 ×) 2210 × 1000 × 100 + (4 ×) 1260 × 675 × 195		

Raw Materials: see Components section (pages 27-28)

Noise Isolation Class (NIC)*: 31; **NIC (w/ CRP)**** 32

VicBooth Ultra **Control Room** HS CODE: 44189990 PA





Components

- 1 Module 2 × 2
- 1 Door with Window
- 2 Sides with Window
- 5 Sides with VicFix
- 2 VicBooth Ultra Pack 1 (4 Cinema Round Premium, Black)
- 2 VicBooth Ultra Pack 2 (4 VicPattern Ultra Wavewood, Black Matte)

Available finishes

- Black
- White
- Natural Oak

Dimensions



2076 × 2030 × 2230 mm (Ext.)
1968 × 1968 × 2008 mm (Int.)

Product Info		Packaging Information			Suggested Retail Price
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)	
 VICB043	Black	1 unit / 23 boxes	(3 ×) 2120 × 255 × 190	583	tel. / e-mail
 VICB044	White		+(8 ×) 1100 × 1100 × 160 +		
 VICB045	Natural Oak		(8 ×) 2210 × 1000 × 100 + (4 ×) 1260 × 675 × 195		

Raw Materials: see Components section (pages 27-28)

Noise Isolation Class (NIC)*: 31; **NIC (w/ CRP)**** 32

VicBooth Ultra **Recording Room** HS CODE: 44189990 PA





Components

- 1 Module 2 × 2
- 1 Door with Window
- 1 Side with Window
- 6 Sides with VicFix
- 2 VicBooth Ultra Pack 1 (4 Cinema Round Premium, Black)
- 4 VicBooth Ultra Pack 2 (8 VicPattern Ultra Wavewood, Black Matte)

Available finishes

- Black
- White
- Natural Oak

Dimensions



2076 × 2030 × 2230 mm (Ext.)
1968 × 1968 × 2008 mm (Int.)

Product Info		Packaging Information			Suggested Retail Price
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)	
 VICB046	Black	1 unit / 25 boxes	(3 ×) 2120 × 255 × 190	575	tel. / e-mail
 VICB047	White		+(8 ×) 1100 × 1100 × 160 +		
 VICB048	Natural Oak		(8 ×) 2210 × 1000 × 100 + (6 ×) 1260 × 675 × 195		

Raw Materials: see Components section (pages 27-28)

Noise Isolation Class (NIC)*: 31; **NIC (w/ CRP)**** 32

VicBooth Ultra Control Room 2 × 3

HS CODE: 44189990




Components

- 1 Module 2 × 3
- 1 Door with Window
- 2 Sides with Window
- 7 Sides with VicFix
- 2 VicBooth Ultra Pack 1 (4 Cinema Round Premium, Black)
- 4 VicBooth Ultra Pack 2 (8 VicPattern Ultra Wavewood, Black Matte)

Available finishes

- Black
- White
- Natural Oak

Dimensions



2076 × 2030 × 2230 mm (Ext.)
1968 × 1968 × 2008 mm (Int.)

Product Info		Packaging Information			Suggested Retail Price
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)	
● VICB055	Black	1 unit / 32 boxes	(4 ×) 2120 × 255 × 190	797	tel. / e-mail
○ VICB056	White		+ (12 ×) 1100 × 1100 × 160 +		
● VICB057	Natural Oak		(10 ×) 2210 × 1000 × 100 + (6 ×) 1260 × 675 × 195		

Raw Materials: see Components section (pages 27-28)

Noise Isolation Class (NIC)*: TBA; **NIC (w/ CRP)**** TBA

VicBooth Ultra Recording Room 2 × 3

HS CODE: 44189990




Components

- 1 Module 2 × 3
- 1 Door with Window
- 2 Side with Window
- 7 Sides with VicFix
- 3 VicBooth Ultra Pack 1 (6 Cinema Round Premium, Black)
- 4 VicBooth Ultra Pack 2 (8 VicPattern Ultra Wavewood, Black Matte)

Available finishes

- Black
- White
- Natural Oak

Dimensions



2076 × 2030 × 2230 mm (Ext.)
1968 × 1968 × 2008 mm (Int.)

Product Info		Packaging Information			Suggested Retail Price
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)	
● VICB058	Black	1 unit / 33 boxes	(4 ×) 2120 × 255 × 190	797	tel. / e-mail
○ VICB059	White		+ (12 ×) 1100 × 1100 × 160 +		
● VICB060	Natural Oak		(10 ×) 2210 × 1000 × 100 + (7 ×) 1260 × 675 × 195		

Raw Materials: see Components section (pages 27-28)

Noise Isolation Class (NIC)*: TBA; **NIC (w/ CRP)**** TBA

VicBooth Ultra Components

You can configure your booth at vicbooth.vicoustic.com/ultra/configurator

Product Info				Packaging Info		Sug. Retail Price	
	Article	Description	Size (mm)	Units / Box	Dimensions (mm)	Weight (kg)	
	U04820	Module 1 × 1	1000 × 1000 × 2200	1 unit / 3 boxes	(1 ×) 2120 × 255 × 190 + (2 ×) 1100 × 1100 × 160	94	tel. / e-mail
	Raw materials: MDF HLS; MDF ST with melamine finish, VicPET Wool, ViCycle, grey felt (100% wool), dark grey needled pile carpet						
	U04821	Module 1 × 2	1000 × 2000 × 2200	1 unit / 6 boxes	(2 ×) 2120 × 255 × 190 + (4 ×) 1100 × 1100 × 160	188	tel. / e-mail
	Raw materials: MDF HLS; MDF ST with melamine finish, VicPET Wool, ViCycle, grey felt (100% wool), dark grey needled pile carpet						
	U04822	Module 2 × 2	2000 × 2000 × 2200	1 unit / 11 boxes	(3 ×) 2120 × 255 × 190 + (8 ×) 1100 × 1100 × 160	354	tel. / e-mail
	Raw materials: MDF HLS; MDF ST with melamine finish, VicPET Wool, ViCycle, grey felt (100% wool), coated steel plate, dark grey needled pile carpet						
	U04823	Module 2 × 3	2000 × 3000 × 2200	1 unit / 16 boxes	(4 ×) 2120 × 255 × 190 + (12 ×) 1100 × 1100 × 160	520	tel. / e-mail
	Raw materials: MDF HLS; MDF ST with melamine finish, VicPET Wool, ViCycle, grey felt (100% wool), coated steel plate, dark grey needled pile carpet						
	U04824	Module 3 × 3	3000 × 3000 × 2200	1 unit / 23 boxes	(5 ×) 2120 × 255 × 190 + (18 ×) 1100 × 1100 × 160	758	tel. / e-mail
	Raw materials: MDF HLS; MDF ST with melamine finish, VicPET Wool, ViCycle, grey felt (100% wool), coated steel plate, dark grey needled pile carpet						
	U04960	Module 3 × 4	3000 × 4000 × 2200	1 unit / 30 boxes	(6 ×) 2120 × 255 × 190 + (24 ×) 1100 × 1100 × 160	996	tel. / e-mail
	Raw materials: MDF HLS; MDF ST with melamine finish, VicPET Wool, ViCycle, grey felt (100% wool), coated steel plate, dark grey needled pile carpet						
	U04843	●	Standard door	1	2210 × 1000 × 100	32	tel. / e-mail
	U04844	○					
	U04845	●					
	Raw materials: MDF ST with melamine finish, VicPET Wool, grey felt (100% wool), coated steel plate, leather						
	U04840	●	Door with window	1	2210 × 1000 × 100	45	tel. / e-mail
	U04841	○					
	U04874	●					
	Raw materials: MDF ST with melamine finish, VicPET Wool, grey felt (100% wool), coated steel plate, laminated glass, leather						
	U04983	●	Left Standard door	1	2210 × 1000 × 100	32	tel. / e-mail
	U04981	○					
	U04985	●					
	Raw materials: MDF ST with melamine finish, VicPET Wool, grey felt (100% wool), coated steel plate, leather						
	U04982	●	Left Door with window	1	2210 × 1000 × 100	45	tel. / e-mail
	U04980	○					
	U04984	●					
	Raw materials: MDF ST with melamine finish, VicPET Wool, grey felt (100% wool), coated steel plate, laminated glass, leather						

VicBooth Ultra Components

Product Info				Packaging Info			Sug. Retail Price	
Article		Description	Size (mm)	Units / Box	Dimensions (mm)	Weight (kg)		
	U04825		30 × 884 × 2100	1	2210 × 1000 × 100	25	tel. / e-mail	
	U04826							Standard side
	U04872							
	Raw materials: MDF ST with melamine finish, VicPET Wool, grey felt (100% wool)							
	U04828		30 × 884 × 2100	1	2210 × 1000 × 100	32	tel. / e-mail	
	U04829							Side with window
	U04830							
	Raw materials: MDF ST with melamine finish, VicPET Wool, grey felt (100% wool), laminated glass							
	U04834		30 × 884 × 2100	1	2210 × 1000 × 100	28	tel. / e-mail	
	U04835							Side with shelf
	U04836							
	Raw materials: MDF ST with melamine finish, VicPET Wool, grey felt (100% wool), coated steel plate							
	U04837		30 × 884 × 2100	1	2210 × 1000 × 100	38	tel. / e-mail	
	U04838							Side with window and shelf
	U04839							
	Raw materials: MDF ST with melamine finish, VicPET Wool, grey felt (100% wool), coated steel plate, laminated glass							
	U04831		30 × 884 × 2100	1	2210 × 1000 × 100	24	tel. / e-mail	
	U04832							Side with VicFix
	U04873							
	Raw materials: MDF ST with melamine finish, VicPET Wool, grey felt (100% wool)							
	B05988	VicBooth Ultra Pack 1 2 Cinema Round Premium (Black) + 2 VicFix Base	595 × 595 × 75	2	1260 × 675 × 195	N/A	tel. / e-mail	
	Raw materials: Polyurethane foam, fabric; Fire Rate: europe: Euroclass F; Acoustic properties: medium and high frequencies absorption; NRC: 0,95							
	B05989	VicBooth Ultra Pack 2 2 VicPattern Ultra Wavewood (Black Mate)	595 × 595 × 50	2	1260 × 675 × 195	N/A	tel. / e-mail	
	Raw materials: VicPet Wool, MDF, melamine; Fire Rate: TBA; Acoustic Properties: medium and high frequencies absorption and diffusion; NRC: 0,70							

VicBooth Ultra Extension Hardware Kits

In order to increase the size of a booth, you will need the Extension Kit corresponding to the final size you want, required to connect the new elements.

Product Info		Packaging Info			Sug. Retail Price
Article	Description	Units / Box	Dimensions (mm)	Weight (kg)	
U04882	Kit 1 × 2 Screws, Foam seal, Hex key and manual	1	325 × 235 × 30	N/A	tel. / e-mail
U04883	Kit 2 × 2 Screws, Foam seal, 1 Connection plate, Hex key and manual	1	325 × 235 × 30	N/A	tel. / e-mail
U04884	Kit 2 × 3 Screws, Foam seal, 2 Connection plates, Hex key and manual	1	325 × 235 × 30	N/A	tel. / e-mail
U04962	Kit 3 × 3 Screws, Foam seal, 4 Connection plates, 4 Angle Brackets, 2 Metal Beams, Hex key and manual	1	325 × 235 × 30	N/A	tel. / e-mail
U04963	Kit 3 × 4 Screws, Foam seal, 6 Connection plates, 6 Angle Brackets, 3 Metal Beams, Hex key and manual	1	325 × 235 × 30	N/A	tel. / e-mail

VicBooth Office Phone Booth HS CODE: 44189990 WS




Components

- 1 Module 1 x 1
(incl. 1 EU Ventilation Unit
+ 1 Power Strip / USB Charger)
- 1 Door with Window
- 1 Side with Shelf
- 1 Standard Side
- 1 Side with Large Window

Available finishes

- Black
- White
- Natural Oak

Dimensions



1076 × 1030 × 2277 mm (Ext.)
968 × 968 × 2008 mm (Int.)

Product Info		Packaging Information			Suggested Retail Price
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)	
● VICBOF001	Black	1 unit / 8 boxes	(1×)2120 × 255 × 190	214 (avg.)	tel. / e-mail
○ VICBOF002	White		+ (2×)1100 × 1100 × 160		
● VICBOF003	Natural Oak		+ (4×)2210 × 1000 × 100 + (1×)530 × 205 × 120		

Raw Materials: see Components section (pages 33-34)

Speech Level Reduction: Class B enclosure (ISO 23351-1)*

VicBooth Office Chat Booth HS CODE: 44189990 WS




Components

- 1 Module 1 x 3
(incl. 2 EU Ventilation Units
+ 1 Power Strip / USB Charger)
- 1 Door with Window
- 1 Left Door with Window
- 1 Side with Large Window
- 2 Sides with Window
- 3 Standard Sides

Available finishes

- Black
- White
- Natural Oak

Dimensions



1076 × 3030 × 2277 mm (Ext.)
968 × 2968 × 2008 mm (Int.)

Product Info		Packaging Information			Suggested Retail Price
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)	
● VICBOF004	Black	1 unit / 19 boxes	(3×)2120 × 255 × 190	353 (avg.)	tel. / e-mail
○ VICBOF005	White		+ (6×)1100 × 1100 × 160		
● VICBOF006	Natural Oak		+ (8×)2210 × 1000 × 100 + (2×)530 × 205 × 120		

Raw Materials: see Components section (pages 33-34)

Speech Level Reduction: Class B enclosure (ISO 23351-1)*

* According to the Speech Level Reduction parameter measurements, meaning it can provide acceptable speech privacy in modern office spaces.

VicBooth Office **Focus Cube** HS CODE: 44189990 WS




Components

- 1 Module 2 × 2
(incl. 2 EU Ventilation Units
+ 1 Power Strip / USB
Charger)
- 1 Door with Window
- 3 Side with
Large Window
- 4 Standard Sides

Available finishes

- Black
- White
- Natural Oak

Dimensions



2076 × 2030 × 2277 mm (Ext.)
1968 × 1968 × 2008 mm (Int.)

Product Info		Packaging Information			Suggested Retail Price
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)	
● VICBOF007	Black	1 unit / 21 boxes	(3 ×) 2120 × 255 × 190	543 (avg.)	tel. / e-mail
○ VICBOF008	White		+ (8 ×) 1100 × 1100 × 160		
● VICBOF009	Natural Oak		+ (8 ×) 2210 × 1000 × 100 + (2 ×) 530 × 205 × 120		

Raw Materials: see Components section (pages 33-34)

Speech Level Reduction: Class B enclosure (ISO 23351-1)*

VicBooth Office **Meeting Booth** HS CODE: 44189990 WS




Components

- 1 Module 2 × 3
(incl. 2 EU Ventilation Units
+ 1 Power Strip / USB
Charger)
- 1 Door with Window
- 4 Sides with
Large Windows
- 5 Standard Sides

Available finishes

- Black
- White
- Natural Oak

Dimensions



2076 × 3030 × 2277 mm (Ext.)
1968 × 2968 × 2008 mm (Int.)


Product Info		Packaging Information			Suggested Retail Price
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)	
● VICBOF010	Black	1 unit / 26 boxes	(4 ×) 2120 × 255 × 190	793 (avg.)	tel. / e-mail
○ VICBOF011	White		+ (12 ×) 1100 × 1100 × 160		
● VICBOF012	Natural Oak		+ (10 ×) 2210 × 1000 × 100 + (2 ×) 530 × 205 × 120		

Raw Materials: see Components section (pages 33-34)

Speech Level Reduction: Class B enclosure (ISO 23351-1)*

* According to the Speech Level Reduction parameter measurements, meaning it can provide acceptable speech privacy in modern office spaces.

VicBooth Office Conference Booth

HS CODE: 44189990 WS


Components

- 1 Module 3 × 4
(incl. 4 EU Ventilation Units
+ 1 Power Strip / USB Charger)
- 1 Door with Window
- 6 Sides with Large Windows
- 7 Standard Sides

Available finishes

- Black
- White
- Natural Oak

Dimensions



3076 × 4030 × 2277 mm (Ext.)
2968 × 3968 × 2008 mm (Int.)

Product Info		Packaging Information			Suggested Retail Price
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)	
● VICBOF013	Black	1 unit / 48 boxes	(6 ×) 2120 × 255 × 190	TBA	tel. / e-mail
○ VICBOF014	White		+ (24 ×) 1100 × 1100 × 160		
● VICBOF015	Natural Oak		+ (14 ×) 2210 × 1000 × 100 + (4 ×) 530 × 205 × 120		

Raw Materials: see Components section (pages 33-34)

Speech Level Reduction: Class B enclosure (ISO 23351-1)*



* According to the Speech Level Reduction parameter measurements, meaning it can provide acceptable speech privacy in modern office spaces.

VicBooth Office Components

You can configure your booth at vicbooth.vicoustic.com/office/configurator

Product Info			Packaging Info		Sug. Retail Price	
Article	Description	Size (mm)	Units / Box	Dimensions (mm)	Weight (kg)	
	Module 1 × 1 (includes 1 Ventilation Unit + 1 Power Strip / USB Charger)					
	U04992	EU version	1 unit / 4 boxes	(1×)2120 × 255 × 190 + (2 ×)1100 × 1100 × 160 + (1×) 530 × 205 × 120	94	tel. / e-mail
	U05022	UK version				
	U05029	US version				
	U05036	AU version				
	Module 1 × 2 (includes 1 Ventilation Unit + 1 Power Strip / USB Charger)					
	U04993	EU version	1 unit / 7 boxes	(2×)2120 × 255 × 190 + (4 ×)1100 × 1100 × 160 + (1×) 530 × 205 × 120	188	tel. / e-mail
	U05023	UK version				
	U05030	US version				
	U05037	AU version				
	Module 1 × 3 (includes 2 Ventilation Units + 1 Power Strip / USB Charger)					
	U05054	EU version	1 unit / 10 boxes	(3×)2120 × 255 × 190 + (6×)1100 × 1100 × 160 + (2 ×) 530 × 205 × 120	262	tel. / e-mail
	U05024	UK version				
	U05031	US version				
	U05038	AU version				
	Module 2 × 2 (includes 2 Ventilation Units + 1 Power Strip / USB Charger)					
	U04994	EU version	1 unit / 12 boxes	(3×)2120 × 255 × 190 + (8 ×)1100 × 1100 × 160 + (2 ×) 530 × 205 × 120	354	tel. / e-mail
	U05025	UK version				
	U05032	US version				
	U05039	AU version				
	Module 2 × 3 (includes 2 Ventilation Units + 1 Power Strip / USB Charger)					
	U04995	EU version	1 unit / 18 boxes	(4 ×)2120 × 255 × 190 + (12 ×)1100 × 1100 × 160 + (2 ×) 530 × 205 × 120	520	tel. / e-mail
	U05026	UK version				
	U05033	US version				
	U05040	AU version				
	Module 3 × 3 (includes 3 Ventilation Units + 1 Power Strip / USB Charger)					
	U04996	EU version	1 unit / 26 boxes	(5 ×)2120 × 255 × 190 + (18 ×)1100 × 1100 × 160 + (3 ×) 530 × 205 × 120	846	tel. / e-mail
	U05027	UK version				
	U05034	US version				
	U05041	AU version				
	Module 3 × 4 (includes 4 Ventilation Units + 1 Power Strip / USB Charger)					
	U04997	EU version	1 unit / 34 boxes	(5 ×)2120 × 255 × 190 + (18 ×)1100 × 1100 × 160 + (4 ×) 530 × 205 × 120	1128	tel. / e-mail
	U05028	UK version				
	U05035	US version				
	U05042	AU version				

Modules raw materials: MDF HLS; MDF ST with melamine finish, VicPET Wool, ViCycle, coated steel (2 × 2 - 3 × 4), dark grey needled pile carpet

VicBooth Office Components

Product Info				Packaging Info			Sug. Retail Price	
Article		Description	Size (mm)	Units / Box	Dimensions (mm)	Weight (kg)		
 	U05010		61×884×2100	1	2210×1000×100	45	tel. / e-mail	
	U05011							Door with window
	U05012							
	Raw materials: MDF ST with melamine finish, VicPET Wool, coated steel plate, laminated glass, leather							
 	U05013		61×884×2100	1	2210×1000×100	45	tel. / e-mail	
	U05014							Left Door with window
	U05015							
	Raw materials: MDF ST with melamine finish, VicPET Wool, coated steel plate, laminated glass, leather							
 	U04998		30×884×2100	1	2210×1000×100	25	tel. / e-mail	
	U04999							Standard side
	U05000							
	Raw materials: MDF ST with melamine finish, VicPET Wool							
 	U05001		30×884×2100	1	2210×1000×100	32	tel. / e-mail	
	U05002							Side with window
	U05003							
	Raw materials: MDF ST with melamine finish, VicPET Wool, laminated glass							
 	U05004		30×884×2100	1	2210×1000×100	28	tel. / e-mail	
	U05005							Side with shelf
	U05006							
	Raw materials: MDF ST with melamine finish, VicPET Wool, coated steel plate							
 	U05007		30×884×2100	1	2210×1000×100	38	tel. / e-mail	
	U05008							Side with window and shelf
	U05009							
	Raw materials: MDF ST with melamine finish, VicPET Wool, coated steel plate, laminated glass							
 	U04986		30×884×2100	1	2210×1000×100	35	tel. / e-mail	
	U04987							Side with Large Window
	U04988							
	Raw materials: MDF ST with melamine finish, VicPET Wool, laminated glass							

VicBooth Office Extension Hardware Kits

In order to increase the size of a booth, you will need the Extension Kit corresponding to the final size you want, required to connect the new elements.

Product Info			Packaging Info		Sug. Retail Price
Article	Description	Units / Box	Dimensions (mm)	Weight (kg)	
Kit 1 × 2					
Screws, Foam seal, Hex key, manual and Power Strip / USB Charger					
U05063	EU version	1	325 × 235 × 30	N/A	tel. / e-mail
U05077	UK version				
U05070	US version				
U05084	AU version				
Kit 1 × 3					
Screws, Foam seal, Hex key, manual and Power Strip / USB Charger					
U05064	EU version	1	325 × 235 × 30	N/A	tel. / e-mail
U05078	UK version				
U05071	US version				
U05085	AU version				
Kit 2 × 2					
Screws, Foam seal, 1 Connection plate, Hex key, manual and Power Strip / USB Charger					
U05065	EU version	1	325 × 235 × 30	N/A	tel. / e-mail
U05079	UK version				
U05072	US version				
U05086	AU version				
Kit 2 × 3					
Screws, Foam seal, 2 Connection plates, Hex key, manual and Power Strip / USB Charger					
U05066	EU version	1	325 × 235 × 30	N/A	tel. / e-mail
U05080	UK version				
U05073	US version				
U05087	AU version				
Kit 3 × 3					
Screws, Foam seal, 4 Connection plates, 4 Angle Brackets, 2 Metal Beams, Hex key, manual and Power Strip / USB Charger					
U05067	EU version	1	325 × 235 × 30	N/A	tel. / e-mail
U05081	UK version				
U05074	US version				
U05088	AU version				
Kit 3 × 4					
Screws, Foam seal, 6 Connection plates, 6 Angle Brackets, 3 Metal Beams, Hex key, manual and Power Strip / USB Charger					
U05068	EU version	1	325 × 235 × 30	N/A	tel. / e-mail
U05082	UK version				
U05075	US version				
U05089	AU version				

VicBooth Accessories

Product Info			Packaging Info			Sug. Retail Price	
	Article	Description	Size (mm)	Units / Box	Dimensions (mm)	Weight (kg)	
	VicBooth Ventilation						
	U04846	EU version	485×185×120	1	530×205×120	N/A	
	U04847	UK version					
	U04848	US version					
	U04954	AU version					
	U04976	Desk Model L Left desk top designed to fit the booth's structure	981×981×444	1	1010×1010×50	15	tel. / e-mail
	Raw materials: MDF HLS						
	U04975	Desk Model C Central Desk Top designed to fit the booth's structure	602×1000×444	1	1030×610×50	12,5	tel. / e-mail
	Raw materials: MDF HLS						
	U04979	Desk Model R Right desk top designed to fit the booth's structure	981×981×444	1	1010×1010×50	15	tel. / e-mail
	Raw materials: MDF HLS						
	U04974	Shelf Model A A small shelf for mounting on the VicBooth structure beams	370×400×107	1	445×385×45	2,6	tel. / e-mail
	Raw materials: MDF HLS						
	U04977	Screen Support Base Lite Allows to fix a small TV mounting stand to the booth's structure	450×450×111	1	485×460×45	3,3	tel. / e-mail
	Raw materials: MDF HLS						
	U04978	Screen Support Base XL Allows to fix a large TV mounting stand to the booth's structure	992×240×111	1	1025×250×50	3,8	tel. / e-mail
	Raw materials: MDF HLS						
	Adjustable LED Floor Lamp						
	U05058	EU version	1580×50×330	1			tel. / e-mail
	U05060	UK version					
	U05059	US version					
	U05061	AU version					
	U05055	Multi-color Rug	2500×3500	1	1255×700×190		tel. / e-mail
	Raw materials: Synthetic wool (Polypropylene)						
	U05056	Pearl Rug	2400×3400	1	1255×700×190		tel. / e-mail
	Raw materials: Synthetic wool (Polypropylene)						



Main Office, R&D & Logistics

Avenida do Pólo 3, N.º 159, Carvalhosa
4590-137 Paços de Ferreira
Portugal

Office

Rua Quinta do Bom Retiro, N.º 16, Armazém 9
2820-690 Charneca da Caparica
Portugal
P(+351) 212 964 100

Info and Sales

E sales@vicoustic.com

www.vicoustic.com

