

June 2022 / Metric

# Price List

# Contents

HF Hi-Fi & Home Cinema    PS Public Spaces  
PA Professional Audio    WS Workspaces

3	Certifications and Awards	
4-6	Acoustic Kits	
4	<b>VicStudio VMT</b> Box <span>●</span>	
4	<b>VicStudio</b> Box <span>●</span>	
5	<b>VicCinema VMT</b> Kit <b>NEW</b> <span>●</span>	
6	<b>VicAudiophile VMT</b> Kit <span>●</span>	
6	Cinema Line / FR <b>NEW</b> <span>●●●●</span>	
6	<b>Piano VMT / Forte VMT</b> / <b>Fortissimo VMT</b>	
7	GEN_VMT Collection	
7	GEN_VMT PENRAY 01 <b>Cloud</b> <span>●●</span>	
7	GEN_VMT PENRAY 01 <b>Tiles</b> <span>●●●●</span>	
7	GEN_VMT PENRAY 02 <b>Tiles</b> <span>●●●●</span>	
8-13	Absorption Solutions	
8	<b>Flat Panel VMT</b> <span>●●●●</span>	
9	<b>VicSpacer / VicSpacer Plus</b> <b>NEW</b> <span>●●●●●</span>	
9	<b>VicSpacer XXL</b> <b>NEW</b> <span>●●●●</span>	
10	<b>Vixagon VMT</b> <span>●●●●</span>	
11	<b>VicWallpaper VMT</b> <span>●●●●</span>	
12	<b>ViCloud Flat VMT</b> <span>●●</span>	
12	<b>ViCloud 3D VMT</b> <span>●●</span>	
13	<b>Suspended Baffle VMT 3D</b> <span>●</span>	
13	<b>Suspended Baffle PET</b> <span>●</span>	
22	<b>Flexi Screen Ultra</b> <span>●</span>	
14-15	VicOffice Line <span>●</span>	
14	VicOffice <b>Desk Lat</b>	
14	VicOffice <b>Desk Top</b>	
15	VicOffice <b>Cloud</b>	
15	VicOffice <b>Suspended Divider</b>	
15	VicOffice <b>Wall</b>	
16-19	Diffusion Solutions	
16	VicPattern Ultra <b>Wavewood</b> <span>●●●●</span>	
16	<b>VicPattern</b> Ultra <span>●●●●</span>	
17	<b>Flexi Wave</b> Ultra <span>●●●●</span>	
17	<b>Wavewood</b> Ultra Lite <span>●●</span>	
17	<b>Flexi Wood</b> Ultra Lite <span>●●</span>	
18	<b>Wavewood Diffuser</b> Ultra MKII <b>NEW</b> <span>●●●●</span>	
18	<b>Cinema Round</b> Ultra VMT <span>●●</span>	
18	<b>Cinema Round</b> Ultra Fuser <span>●●</span>	
19	<b>Cinema Round</b> Premium <span>●●●●</span>	
19	<b>Multifuser Wood</b> MKII <span>●●●●</span>	
19	<b>Multifuser DC3</b> <b>NEW</b> <span>●●</span>	
20-22	Bass Trap Solutions	
20	<b>Trap Fuser</b> <span>●●</span>	
20	<b>Super Bass Extreme</b> Ultra <span>●●</span>	
20	<b>Super Bass Extreme</b> VMT <span>●●</span>	
21	<b>Mega Bass Trap</b> VMT / VMT XXL <b>NEW</b> <span>●●●●</span>	
22	<b>VicTotem</b> Ultra VMT <span>●●</span>	
22	<b>Vari Bass</b> Ultra <span>●●</span>	
23	Insulation Solutions <span>●</span>	
24	Budget Line <span>●</span>	
25-26	Accessories <span>●●●●</span>	
27-32	<b>VicBooth</b> Ultra <span>●</span>	
30-31	<b>Components</b>	
32	<b>Extension Hardware Kits</b>	
33-38	<b>VicBooth</b> Office <b>NEW</b> <span>●</span>	
36-37	<b>Components</b>	
38	<b>Extension Hardware Kits</b>	
39	VicBooth <b>Accessories</b>	

All prices subject to change without further notice. All prices are in EURO, Ex VAT or any sales tax and EXWORKS. Prices might vary depending on your local market and regulatory requirements, customs, etc.

This Price List is continually updated with new and amended details. Vicoustic accepts no liability for any eventuality arising from the use of errors contained in this Price List. Vicoustic reserves the right to correct errors or misprints.

VMT products in the color white may show some impurities due to PET recycling.

The product images used are illustrative and may differ from the actual product.

# Certifications and Awards



The VMT family, VicOffice line and VicPattern Ultra acoustic panels achieved **Indoor Advantage™ Gold Certifications Building Materials**, certified by SCS Global services, meeting the standards for school classrooms and private offices. Products that have this certification help buildings achieve and maintain better indoor air quality and contribute to credits in LEED, WELL, RESET, BREAM and other green building rating systems.



The VicBooth family, including VicBooth Office and Ultra, achieved **Indoor Advantage™ Gold Certifications Furniture**, certified by SCS Global Services. Products that have this certification help buildings achieve and maintain better indoor air quality, meeting the Furniture Emissions Standard recommended for the open plan and private office workstation parameters.



VicPET Wool, the non-woven textile used on the VMT line and other solutions, is a **low emitting material with zero-emissions of VOC (Volatile Organic Compounds)** or formaldehyde, indoor air pollutants. This means it has good indoor air quality.



VicPET Wool, used in VMT and PET solutions, is **certified by OEKO-TEX 100 Standard**, meeting the human-ecological requirements presently established for baby articles. VicPET Wool does not irritate skin or eyes, and has no dust generation during handling. No chemicals were used and is thermally bonded.



The melamine used in the Ultra family of products is **certified with an Environmental Product Declaration, meeting the requirements of ISO 14025 and EN 15804**. This means the environmental performance of the raw material conforms with the Life Cycle Assessment required by ISO standards, and with the standard for the sustainability of construction works and services.




reddot winner 2020

Vicoustic collection GEN\_VMT won the **Red Dot Award: Product Design 2020** for its outstanding design quality.




VicBooth is a Winner of the German Design Awards 2022 for outstanding design quality, in the category of **Excellent Product Design for Building and Elements**.

## VicStudio VMT Box HS CODE: 39211310 PA






VicStudio VMT Box - Grey

### Contents and Dimensions



### VMT + EPS colors

-  White Wavewood VMT Pattern + White Multifuser DC3
-  Black Wavewood VMT Pattern + Black Multifuser DC3
-  Grey Wavewood VMT Pattern + Grey Multifuser DC3

More information on [www.vicoustic.com/product/vicstudio-vmt-box](http://www.vicoustic.com/product/vicstudio-vmt-box)


Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m <sup>2</sup> / Box	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box
VicStudio VMT Box	–	5.6	16	(3 x) 1228 x 180 x 105; 1265 x 665 x 190; 1265 x 665 x 355	74	1575 EUR netto	

**Raw Materials:** VicPET Wool, Solid Wood and Lacquered Steel; Expanded Polystyrene  
**Fire Rate:** TBA

**Acoustic Properties:** Medium frequencies Absorption and Diffusion  
**NRC:** TBA


**Installation/Accessories:** VicFix Mini, VicFix Corner and Glue (included)

## VicStudio Box HS CODE: 44101110 PA






VicStudio Box - White Matte

### Contents and Dimensions



### Wood + EPS colors

-  Brown Oak Wavewood Ultra Lite + Black Multifuser DC3
-  Black Matte Wavewood Ultra Lite + Black Multifuser DC3
-  White Matte Wavewood Ultra Lite + White Multifuser DC3


More information on [www.vicoustic.com/product/vicstudio-box](http://www.vicoustic.com/product/vicstudio-box)

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m <sup>2</sup> / Box	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box
VicStudio Box	–	3.5	10	1260 x 675 x 355	15	695 EUR netto	


**Raw Materials:** Standard MDF, polyurethane foam and Melamine; Expanded Polystyrene  
**Fire Rate:** TBA

**Acoustic Properties:** Absorption / Difusion / Bass Trap  
**NRC:** TBA

**Installation/Accessories:** Glue (included)



# VicCinema VMT Kit NEW HF HS CODE: 39211310



VicCinema VMT Walls & Ceiling Kit  
- Rosemary Green Pattern

### Dimensions



VicSpacer Plus with Flat Panel VMT  
(4 ×) 1194 × 599 × 66 mm



VicPattern Ultra Triangles  
(4 ×) 595 × 595 × 50 mm

More information on  
[www.vicoustic.com/product/viccinema-vmt-kit](http://www.vicoustic.com/product/viccinema-vmt-kit)

### Finishes



Dark Grey  
+ Black Matte



Rosemary Green  
+ Natural Oak



Grey  
+ Dark Wenge



Dark Grey  
Pattern  
+ Black Matte



Rosemary  
Green Pattern  
+ Natural Oak



Grey Pattern  
+ Dark Wenge

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m <sup>2</sup> / Box	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box
VicCinema VMT Walls & Ceiling Kit	—	4.21	12 / 5 boxes	(2×) 1225 × 180 × 110; 630 × 630 × 350; 1290 × 660 × 105; 665 × 675 × 250	83.2	1430 EUR netto	

**Raw Materials:** VicPET Wool, Solid Wood, Lacquered Steel, MDF and Melamine  
**Fire Rate:** N/A


**Acoustic Properties:**  
Low and Medium Frequencies Absorption  
**NRC:** 0.95 (VicSpacer Plus with Flat Panel VMT)

**Installation/Accessories:**  
VicFix J Profile (included)



VicCinema VMT Bass Trap Kit - Dark Grey

### Dimensions



Mega Bass Trap VMT  
1788 × 680 × 384 mm

### Finishes



Dark Grey



Rosemary  
Green



Grey

More information on  
[www.vicoustic.com/product/viccinema-vmt-kit](http://www.vicoustic.com/product/viccinema-vmt-kit)

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m <sup>2</sup> / Box	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box
VicCinema VMT Mega Bass Trap Kit	—	2.44	2 / 2 boxes	1845 × 700 × 155; 620 × 1133 × 125	36	1179 EUR netto	

**Raw Materials:** VicPET Wool, MDF, Lacquered Steel  
**Fire Rate:** N/A

**Fire Rate:** N/A  
**NRC:** N/A

**Installation/Accessories:**  
All installation accessories included

The **VicCinema VMT Kit** is an acoustic kit developed to maximize the acoustic conditions of a Home Cinema. The kit is available in two options: a kit with products for installation on walls and ceilings and a bass trap kit for corners.

Depending on the size of your room, or the performance you want to achieve, by acquiring one or more of these kits you will be able to achieve the main goal of a Home Cinema: a neutral acoustic environment, that assures a clear and complete film audio experience without introducing any acoustic distortions that can compromise its perception.






# VicAudiophile VMT Kit HS CODE: 39211310 HF



VicAudiophile VMT Kit - Brown Oak

### Contents and Dimensions



### Finishes



More information on [www.vicoustic.com/product/vicaudiophile-vmt-kit](http://www.vicoustic.com/product/vicaudiophile-vmt-kit)

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m <sup>2</sup> / Box	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box
VicAudiophile VMT Kit	—	4.9	16	1265 × 665 × 350; 665 × 665 × 255; (2 ×) 1228 × 180 × 105; (2 ×) 625 × 330 × 190	91.2	2130 EUR netto	

**Raw Materials:** VicPET Wool, Solid Wood and Lacquered Steel; VicPET Wool, MDF and Melamine; Solid Wood

**Fire Rate:** TBA  
**Acoustic Properties:** Medium frequencies Absorption and Diffusion


**NRC:** TBA  
**Installation/Accessories:** VicFix J Profile and VicFix Corner (included)

# Cinema Line / FR NEW HS CODE: 39211310 HF PA PS WS



Cinema Line - Piano VMT, Grey Stone; Forte VMT, Calacatta Crema; Fortissimo VMT, Concrete 1

### Dimensions



**Piano VMT / Forte VMT / Fortissimo VMT**  
595 × 595 × 60 / 120 / 120 mm

### Finishes



More information on [www.vicoustic.com/search/cinema-family](http://www.vicoustic.com/search/cinema-family)  
For customized graphics or colors, contact: [sales@vicoustic.com](mailto:sales@vicoustic.com)

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m <sup>2</sup> / Box	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box
Cinema Piano VMT	595 × 595 × 60	0.70	2	665 × 675 × 195	3.50	255 EUR netto	
Piano Calacatta Crema / Grey Stone	595 × 595 × 60	0.70	2	665 × 675 × 195	3.50	275 EUR netto	
Cinema Forte VMT	595 × 595 × 120	0.70	2	665 × 675 × 355	4.75	295 EUR netto	
Forte Calacatta Crema / Grey Stone	595 × 595 × 120	0.70	2	665 × 675 × 355	4.75	315 EUR netto	
Cinema Fortissimo VMT	595 × 595 × 120	0.70	2	665 × 675 × 355	6.25	330 EUR netto	
Fortissimo Calacatta Crema / Grey Stone	595 × 595 × 120	0.70	2	665 × 675 × 355	6.25	350 EUR netto	
Cinema Piano VMT FR	595 × 595 × 60	0.70	2	665 × 675 × 195	3.50	310 EUR netto	
Piano Calacatta Crema / Grey Stone FR	595 × 595 × 60	0.70	2	665 × 675 × 195	3.50	310 EUR netto	
Cinema Forte VMT FR	595 × 595 × 120	0.70	2	665 × 675 × 355	4.75	335 EUR netto	
Forte Calacatta Crema / Grey Stone FR	595 × 595 × 120	0.70	2	665 × 675 × 355	4.75	335 EUR netto	
Cinema Fortissimo VMT FR	595 × 595 × 120	0.70	2	665 × 675 × 355	6.25	350 EUR netto	
Fortissimo Calacatta Crema / Grey Stone FR	595 × 595 × 120	0.70	2	665 × 675 × 355	6.25	350 EUR netto	

**Raw Materials:** VicPET Wool, ViCycle (only in Non-FR version), MDF and Lacquered Steel  
**Fire Rate:** TBA

**Acoustic Properties:** Broadband Absorption  
**NRC:** Non-FR version: 0.95; FR version: 0.75


**Installation/Accessories:** VicFix Mini (included in Non-FR version); VicFix J Profile 80 mm (included in FR version); VicFix J Profile

# GEN\_VMT PENRAY 01 Cloud HS CODE: 39211310 PS WS



GEN\_VMT PENRAY 01 Cloud - Bondi Blue 2

### Dimensions



1187×949×20 mm

More information on [www.vicoustic.com/product/gen\\_vmt-penray-01-cloud](http://www.vicoustic.com/product/gen_vmt-penray-01-cloud)

### VMT colors



Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m <sup>2</sup> / Box	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box
GEN_VMT PENRAY 01 Cloud	1187×949×20	0,77	1	1060×1480×65	3,2	210 EUR netto	

**Raw Materials:** VicPET Wool

**Fire Rate:** Europe: Euroclass B S2, d0;  
USA: Class A (ASTM-E84)

**Acoustic Properties:**

Medium and High Frequencies Absorption

**Installation/Accessories:**


Mechanical and Magnetic Suspended Fixation (included)

# GEN\_VMT PENRAY 01 Tiles HS CODE: 39211310 HF PS WS



GEN\_VMT PENRAY 01 Tiles - Coral

### Dimensions



A - 400×460×20 mm / B - 230×320×20 mm

More information on [www.vicoustic.com/product/gen\\_vmt-penray-01-tiles](http://www.vicoustic.com/product/gen_vmt-penray-01-tiles)

### VMT colors



Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m <sup>2</sup> / Box	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box
GEN_VMT PENRAY 01 Tiles	A - 400×460×20 B - 230×320×20	1,20	12	780×470×95	1,8	180 EUR netto	

**Raw Materials:** VicPET Wool

**Fire Rate:** Europe: Euroclass C s2, d0;  
USA: Class A (ASTM-E84)


**Acoustic Properties:**

Medium and High Frequencies Absorption  
**NRC: 0.30**

**Installation/Accessories:**


Double sided tape; Flexi Glue Ultra

# GEN\_VMT PENRAY 02 Tiles HS CODE: 39211310 HF PS WS



GEN\_VMT PENRAY 02 Tiles - Moss Green


### Dimensions



355×355×20 mm (unit)

More information on [www.vicoustic.com/product/gen\\_vmt-penray-02-tiles](http://www.vicoustic.com/product/gen_vmt-penray-02-tiles)

### VMT colors



Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m <sup>2</sup> / Box	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box
GEN_VMT PENRAY 02 Tiles	355×355×20	1,56	12	780×470×95	1,8	165 EUR netto	

**Raw Materials:** VicPET Wool

**Fire Rate:** Europe: Euroclass C s2, d0;  
USA: Class A (ASTM-E84)


**Acoustic Properties:**

Medium and High Frequencies Absorption  
**NRC: 0.30**


**Installation/Accessories:**

Double sided tape; Flexi Glue Ultra

# Flat Panel VMT HS CODE: 39211310 HF PA PS WS



### Dimensions



### Solid Colors



\* Available only in selected sizes

Flat Panel VMT, 595 × 595 × 20 mm  
- Natural Stones Collection, Calacatta Carrara

Collections and Patterns available on [www.vicoustic.com/product/flat-panel-vmt](http://www.vicoustic.com/product/flat-panel-vmt)  
For customized graphics or colors, contact: [sales@vicoustic.com](mailto:sales@vicoustic.com)

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m <sup>2</sup> / Box	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box
60.20 Collections / Solid Colors	595 × 595 × 20	2.83	8	665 × 675 × 195	4.4	240 EUR netto	
60.20 Natural Stones	595 × 595 × 20	2.83	8	665 × 675 × 195	4.4	260 EUR netto	
60.20 Collections / Solid Colors	595 × 595 × 20	1.42	4	650 × 650 × 95	2.2	120 EUR netto	
60.20 Natural Stones	595 × 595 × 20	1.42	4	650 × 650 × 95	2.2	140 EUR netto	
60.40 Solid Colors	595 × 595 × 40	2.83	8	665 × 675 × 355	8.0	290 EUR netto	
120.20 Collections / Solid Colors	1190 × 595 × 20	5.66	8	1260 × 675 × 190	9.6	480 EUR netto	
120.20 Natural Stones	1190 × 595 × 20	5.66	8	1260 × 675 × 190	9.6	520 EUR netto	
120.20 Collections / Solid Colors	1190 × 595 × 20	2.83	4	1245 × 650 × 95	4.8	240 EUR netto	
120.20 Natural Stones	1190 × 595 × 20	2.83	4	1245 × 650 × 95	4.8	260 EUR netto	
120.40 Solid Colors	1190 × 595 × 40	5.66	8	1260 × 675 × 355	17.0	545 EUR netto	
240.20 Collections / Solid Colors	2380 × 1190 × 20	22.66	8	2470 × 1275 × 170	19.2	1499 EUR netto	
240.20 Natural Stones	2380 × 1190 × 20	22.66	8	2470 × 1275 × 170	19.2	1499 EUR netto	

**Raw Materials:** VicPET Wool

**Fire Rate:** 20 mm: Europe: Euroclass B -s2, d0; USA: Class A (ASTM-E84); Canada: CAN/ULC S102, Flame Spread Rating: 5, Smoke Developed Classification: 115; 40 mm: Europe: Euroclass B - s2, d0; USA: Class A (ASTM-E84); Canada: N/A

**Acoustic Properties:** Medium and High Frequencies Absorption

**NRC:** 20 mm: 0.55; 40 mm: 0.70

**Installation/Accessories:** Velcro (included); Flexi Glue Ultra; AluFrame Single; AluFrame Double; AluFrame VMT T; VicSpacer; VicSpacer Plus



Front wall: Customized Flat Panel VMT (2380 × 1190mm) with AluFrame Double  
Side walls and ceiling: Flexi Wave Ultra and Cinema Round Premium; Floor: VicTotem Ultra



# VicSpacer / VicSpacer Plus <sup>NEW</sup> HS CODE: 39211310




VicSpacer / VicSpacer Plus Grey Matte

### Dimensions



VicSpacer / VicSpacer Plus: 599 × 1194 × 66 mm

### Colors



More information on [www.vicoustic.com/search/vicspacer](http://www.vicoustic.com/search/vicspacer)

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m <sup>2</sup> / Box	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box
VicSpacer	599 × 1194 × 66	2.80	4 / 2 boxes	(2×) 1210 × 155 × 98	(2×) 15	495 EUR netto	
VicSpacer Plus	599 × 1194 × 66	2.80	4 / 3 boxes	(2×) 1210 × 155 × 98 + (1×) 665 × 675 × 355	(2×) 15 + (1×) 8	575 EUR netto	

**Raw Materials:** Wood and Lacquered Steel  
**Fire Rate:** N/A

**NRC:** 0.85 (VMT 20 mm + VicSpacer);  
0.95 (VMT 20 mm + VicSpacer Plus)


**Installation/Accessories:**  
VicFix Mini (included); VicFix J Profile;  
VicFix Corner; VicSpacer Suspension Kit <sup>NEW</sup>

# VicSpacer XXL <sup>NEW</sup> HS CODE: 39211310




VicSpacer XXL Grey Matte

### Dimensions



VicSpacer XXL: 2384 × 1194 × 66 mm

### Colors



More information on [www.vicoustic.com/product/vicspacer-xxl](http://www.vicoustic.com/product/vicspacer-xxl)

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m <sup>2</sup> / Box	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box
VicSpacer XXL	2384 × 1194 × 66	2.80	1	(2×) 2430 × 150 × 100	19	375 EUR netto	

**Raw Materials:** Wood and Lacquered Steel  
**Fire Rate:** N/A

**NRC:** 0.85 (VMT XXL 20 mm + VicSpacer XXL)

**Installation/Accessories:**  
Screwed to the wall



**VicSpacer is a new fixation system for Flat Panel VMT, specially developed to improve the acoustics of any room.**


By spacing the panel 40 mm away from the walls / ceiling, VicSpacer helps to enhance the Flat Panel VMT acoustic performance in the medium / low-frequency regions.

# Vixagon VMT HS CODE: 39211310 HF PA PS WS



Vixagon VMT, 20 mm - Natural Stones, Calacatta Carrara

### Dimensions



**20 / 40**  
700×606×20 / 40 mm



**20.Mini + Diamond**  
350×305×20 mm

Collections and Patterns available on [www.vicoustic.com/product/vixagon-vmt](http://www.vicoustic.com/product/vixagon-vmt)  
For customized graphics or colors, contact: [sales@vicoustic.com](mailto:sales@vicoustic.com)

### Solid Colors



Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m <sup>2</sup> / Box	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box
20 Collections / Solid Colors	700×606×20	3.82	12	745×650×390	8	460 EUR netto	
20 Natural Stones	700×606×20	3.82	12	745×650×390	8	499 EUR netto	
20.Mini Collections / Solid Colors	350×305×20	3.82	36 + 36	745×650×390	8	435 EUR netto	
20.Mini Natural Stones	350×305×20	3.82	36 + 36	745×650×390	8	460 EUR netto	
40 Collections / Solid Colors	700×606×40	1.91	6	745×650×390	8	350 EUR netto	
40 Natural Stones	700×606×40	1.91	6	745×650×390	8	380 EUR netto	


**Raw Materials:** VicPET Wool

**Acoustic Properties:** Medium and High Frequencies Absorption

**NRC:** 20 mm: 0.55; 40 mm: 0.70

**Installation/Accessories:** Velcro; Flexi Glue Ultra

**Fire Rate:** 20 mm: Europe: Euroclass B -s2, d0; USA: Class A (ASTM-E84); Canada: CAN/ULC S102, Flame Spread Rating: 5, Smoke Developed Classification: 115; 40 mm: Europe: Euroclass B - s2, d0; USA: Class A (ASTM-E84); Canada: N/A




# VicWallpaper VMT HS CODE: 39211310 HF PS WS



VicWallpaper VMT, Deck - Beige

### Dimensions



### VMT colors



Collections and Patterns available on [www.vicoustic.com/product/vicwallpaper-vmt](http://www.vicoustic.com/product/vicwallpaper-vmt)  
 For customized graphics or colors, contact: [sales@vicoustic.com](mailto:sales@vicoustic.com)

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m <sup>2</sup> / Box	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box
Square 30.60	595 x 595 x 10	2.83	8	615 x 640 x 130	3.5	190 EUR netto	
Square 30.120	1190 x 595 x 10	5.66	8	1245 x 615 x 130	7.0	290 EUR netto	
Square 8.60	595 x 595 x 10	2.83	8	615 x 640 x 130	3.5	190 EUR netto	
Square 8.120	1190 x 595 x 10	5.66	8	1245 x 615 x 130	7.0	290 EUR netto	
Deck 60	595 x 595 x 10	2.83	8	615 x 640 x 130	3.5	190 EUR netto	
Deck 120	1190 x 595 x 10	5.66	8	1245 x 615 x 130	7.0	290 EUR netto	
Triangles 60	595 x 595 x 10	2.83	8	615 x 640 x 130	3.5	190 EUR netto	
Triangles 120	1190 x 595 x 10	5.66	8	1245 x 615 x 130	7.0	290 EUR netto	
Symmetric 60	595 x 595 x 10	2.83	8	615 x 640 x 130	3.5	190 EUR netto	
Symmetric 120	1190 x 595 x 10	5.66	8	1245 x 615 x 130	7.0	290 EUR netto	

**Raw Materials:** VicPET Wool

**Fire Rate:** Europe: Euroclass C s2, d0;

USA: Class A (ASTM-E84); Canada: N/A

**Acoustic Properties:**

Medium and High Frequencies Absorption

**NRC:** 0.20

**Installation/Accessories:**

Double-sided tape; Flexi Glue Ultra;

AluFrame VicWallpaper




# ViCloud Flat VMT HS CODE: 39211310 PS WS



ViCloud VMT, Petal - Natural Woods, Oak


### Dimensions



**Round**  
Ø 1160 × 40 mm



**Square**  
1160 × 1160 × 40 mm



**Hexagon**  
1160 × 1005 × 40 mm



**Petal**  
1160 × 1068 × 40 mm

### Solid Colors



Collections and Patterns available on [www.vicoustic.com/product/vicloud-vmt](http://www.vicoustic.com/product/vicloud-vmt)  
For customized graphics or colors, contact: [sales@vicoustic.com](mailto:sales@vicoustic.com)

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m <sup>2</sup> / Box	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box
Round Collections / Solid Colors	Ø 1160 × 40	4.24	4	1267 × 1262 × 170	8.5	789 EUR netto	
Square Collections / Solid Colors	1160 × 1160 × 40	5.40	4	1267 × 1262 × 170	8.5	789 EUR netto	
Hexagon Collections / Solid Colors	1160 × 1005 × 40	3.48	4	1267 × 1262 × 170	8.5	789 EUR netto	
Petal Collections / Solid Colors	1160 × 1068 × 40	2.45	4	1267 × 1262 × 170	8.5	789 EUR netto	
ViCloud Natural Stones	—	—	4	1267 × 1262 × 170	8.5	819 EUR netto	

**Raw Materials:** VicPET Wool

**Fire Rate:** Europe: Euroclass B - s2, d0;  
USA: Class A (ASTM-E84); Canada: N/A

**Acoustic Properties:**

Medium and High Frequencies Absorption

**Installation/Accessories:**


Magnetic and Mechanical Suspended Fixation (included)

# ViCloud 3D VMT HS CODE: 39211310 PS WS



ViCloud VMT, Hexagon - Natural Stones, Patagonia


### Dimensions



**Round**  
Ø 1160 × 40 mm



**Square**  
1160 × 1160 × 40 mm



**Hexagon**  
1160 × 1005 × 40 mm



**Petal**  
1160 × 1068 × 40 mm

### Solid Colors



Collections and Patterns available on [www.vicoustic.com/products/vicloud-3d](http://www.vicoustic.com/products/vicloud-3d)  
For customized graphics or colors, contact: [sales@vicoustic.com](mailto:sales@vicoustic.com)

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m <sup>2</sup> / Box	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box
Round Collections / Solid Colors	Ø 1160 × 40	4.24	4	1267 × 1262 × 170	8.5	799 EUR netto	
Square Collections / Solid Colors	1160 × 1160 × 40	5.40	4	1267 × 1262 × 170	8.5	799 EUR netto	
Hexagon Collections / Solid Colors	1160 × 1005 × 40	3.48	4	1267 × 1262 × 170	8.5	799 EUR netto	
Petal Collections / Solid Colors	1160 × 1068 × 40	2.45	4	1267 × 1262 × 170	8.5	799 EUR netto	
ViCloud Natural Stones	—	—	4	1267 × 1262 × 170	8.5	829 EUR netto	

**Raw Materials:** VicPET Wool

**Fire Rate:** Europe: Euroclass B - s2, d0;  
USA: Class A (ASTM-E84); Canada: N/A

**Acoustic Properties:**

Medium and High Frequencies Absorption

**Installation/Accessories:**

Magnetic and Mechanical Suspended Fixation (included)



## Suspended Baffle VMT 3D HS CODE: 39211310 PS



Suspended Baffle VMT 3D, Beige

### Dimensions



1190×595×35 mm

Collections and Patterns available on [www.vicoustic.com/product/suspended-baffle-3d](http://www.vicoustic.com/product/suspended-baffle-3d)  
For customized graphics or colors, contact: [sales@vicoustic.com](mailto:sales@vicoustic.com)

### VMT colors



Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m <sup>2</sup> / Box	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box
Suspended Baffle VMT 3D	1190×595×35	5.66	8	1260×675×355	17	750 EUR netto	

**Raw Materials:** VicPET Wool

**Fire Rate:** USA: Class A (ASTM-E84); Europe: Euroclass B, s2 d0

**Acoustic Properties:** Absorption

**Installation/Accessories:** Wire Rope (steel cable with a hook) Fixation System (included)

## Suspended Baffle PET HS CODE: 39211310 PS



Suspended Baffle PET Black / White


### Dimensions



1190×595×40 mm

More information available on [www.vicoustic.com/product/suspended-baffle-pet](http://www.vicoustic.com/product/suspended-baffle-pet)

### PET colors



Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m <sup>2</sup> / Box	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box
Suspended Baffle PET White	1190×595×40	4.25	6	1220×620×280	TBA	365 EUR netto	
Suspended Baffle PET Black	1190×595×40	4.25	6	1220×620×280	TBA	365 EUR netto	

**Raw Materials:** VicPET Wool

**Fire Rate:** Europe: Euro Class B S1, d0 (EM 13501-1);

USA: White PET: Class B (STM-E84) | Black PET: Class A (ASTM-E84)

**Acoustic Properties:** Absorption


**Installation/Accessories:** Wire Rope (steel cable with a hook) Fixation System (included)

## Flexi Screen Ultra MKII HS CODE: 39211310 PA



Flexi Screen Ultra MKII - Locarno Cherry


### Dimensions



385×295×345 mm

More information on [www.vicoustic.com/product/flexi-screen-ultra-mkii](http://www.vicoustic.com/product/flexi-screen-ultra-mkii)

### Wood colors



Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m <sup>2</sup> / Box	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box
Flexi Screen Ultra MKII	385×295×345	—	1	450×340×405	3.4	116 EUR netto	

**Raw Materials:** Polyurethane Foam, Melamine

**Fire Rate:** TBA

**Acoustic Properties:**

Absorption

**Installation/Accessories:**

Manually assembled, all accessories included




# VicOffice Desk Lat HS CODE: 44101110 WS



VicOffice Desk Lat 614x389 - Pumpkin Orange

### Dimensions



614 × 389 × 10 mm / 764 × 389 × 10 mm  
/ 614 × 539 × 10 mm / 764 × 539 × 10 mm

### VMT colors



More information on [www.vicoustic.com/product/vicoffice-desk-lat](http://www.vicoustic.com/product/vicoffice-desk-lat)  
For customized graphics or colors, contact: [sales@vicoustic.com](mailto:sales@vicoustic.com)

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m <sup>2</sup> / Box	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box
VicOffice Desk Lat	614 × 389 × 10	—	1	625 × 404 × 47		129 EUR netto	
VicOffice Desk Lat	764 × 389 × 10	—	1	620 × 545 × 47		139 EUR netto	
VicOffice Desk Lat	614 × 539 × 10	—	1	778 × 404 × 55		139 EUR netto	
VicOffice Desk Lat	764 × 539 × 10	—	1	778 × 554 × 55		149 EUR netto	

**Raw Materials:** VicPET Wool

**Fire Rate:** Europe: Euroclass B - s2, d0;  
USA: Class A (ASTM-E84); Canada: N/A

**Acoustic Properties:**

Medium / High Frequencies Absorption

**Accessories:**


VicOffice Feet (included)

# VicOffice Desk Top HS CODE: 44101110 WS



VicOffice Desk Top 914x539 - Moss Green

### Dimensions



914 × 389 × 10 mm / 914 × 539 × 10 mm /  
1214 × 389 × 10 mm / 1214 × 539 × 10 mm /  
1364 × 389 × 10 mm / 1364 × 539 × 10 mm

### VMT colors



More information on [www.vicoustic.com/product/vicoffice-desk-top](http://www.vicoustic.com/product/vicoffice-desk-top)  
For customized graphics or colors, contact: [sales@vicoustic.com](mailto:sales@vicoustic.com)

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m <sup>2</sup> / Box	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box
VicOffice Desk Top	914 × 389 × 10	—	1	928 × 404 × 55		149 EUR netto	
VicOffice Desk Top	914 × 539 × 10	—	1	928 × 554 × 55		159 EUR netto	
VicOffice Desk Top	1214 × 389 × 10	—	1	1228 × 404 × 55		159 EUR netto	
VicOffice Desk Top	1214 × 539 × 10	—	1	1228 × 554 × 55		169 EUR netto	
VicOffice Desk Top	1364 × 389 × 10	—	1	1375 × 404 × 47		169 EUR netto	
VicOffice Desk Top	1364 × 539 × 10	—	1	1375 × 554 × 55		179 EUR netto	

**Raw Materials:** VicPET Wool

**Fire Rate:** Europe: Euroclass B - s2, d0;  
USA: Class A (ASTM-E84); Canada: N/A

**Acoustic Properties:**

Medium / High Frequencies Absorption

**Accessories:**


VicOffice Feet (included)

## VicOffice Cloud HS CODE: 44101110 WS



VicOffice Cloud - Beige

### Dimensions



1000×1000×40 mm

More information on [www.vicoustic.com/product/vicoffice-cloud](http://www.vicoustic.com/product/vicoffice-cloud)  
For customized graphics or colors, contact: [sales@vicoustic.com](mailto:sales@vicoustic.com)

### VMT colors



Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m <sup>2</sup> / Box	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box
VicOffice Cloud	1000×1000×40	—	1	1155×1031×48		269 EUR netto	

**Raw Materials:** VicPET Wool

**Fire Rate:** Europe: Euroclass C - s2, d0;  
USA: N/A; Canada: N/A

**Acoustic Properties:**

Medium / High Frequencies Absorption

**Installation/Accessories:**


VicOffice Mechanical and Magnetic  
Suspended Fixation (included)

## VicOffice Suspended Divider HS CODE: 44101110 WS



VicOffice Suspended Divider - Grey

### Dimensions



(2×) 1190×595×10 mm

More information on [www.vicoustic.com/product/vicoffice-suspended-divider](http://www.vicoustic.com/product/vicoffice-suspended-divider)  
For customized graphics or colors, contact: [sales@vicoustic.com](mailto:sales@vicoustic.com)

### VMT colors



Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m <sup>2</sup> / Box	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box
VicOffice Suspended Divider	(2×) 1190×595×10	—	1	1305×606×40		199 EUR netto	

**Raw Materials:** VicPET Wool

**Fire Rate:** Europe: Euroclass B - s2, d0;  
USA: Class A (ASTM-E84); Canada: N/A


**Acoustic Properties:**

Medium / High Frequencies Absorption

**Installation/Accessories:**


VicOffice Suspension Cables (included)

## VicOffice Wall HS CODE: 44101110 WS



VicOffice Wall 1190×595 / 595×595 - Blue / Bondi Blue

### Dimensions



1190 / 595 × 595 × 10 mm

More information on [www.vicoustic.com/product/vicoffice-wall](http://www.vicoustic.com/product/vicoffice-wall)  
For customized graphics or colors, contact: [sales@vicoustic.com](mailto:sales@vicoustic.com)

### VMT colors



Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m <sup>2</sup> / Box	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box
VicOffice Wall	595×595×10	—	1	606×606×40		119 EUR netto	
VicOffice Wall	1190×595×10	—	1	1201×606×37		149 EUR netto	

**Raw Materials:** VicPET Wool

**Fire Rate:** Europe: Euroclass B - s2, d0;  
USA: Class A (ASTM-E84); Canada: N/A


**Acoustic Properties:**

Medium / High Frequencies Absorption  
**NRC: 0.30**

**Installation/Accessories:**


VicOffice Brackets (included)

# VicPattern Ultra **Wavewood** HS CODE: 44101110 HF PA PS



VicPattern Ultra Wavewood - Brown Oak

### Dimensions



### Wood colors



More information on [www.vicoustic.com/product/vicpattern-ultra-wavewood](http://www.vicoustic.com/product/vicpattern-ultra-wavewood)  
For customized graphics or colors, contact: [sales@vicoustic.com](mailto:sales@vicoustic.com)


Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m <sup>2</sup> / Box	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box
VicPattern <i>Black Matte</i> color	595×595×50	1.06	3	665×675×195	14	250 EUR netto	
VicPattern Other Wood colors	595×595×50	1.06	3	665×675×195	14	250 EUR netto	

**Raw Materials:** VicPET Wool, MDF, Melamine  
**Fire Rate:** TBA

**Acoustic Properties:** Medium and High Frequencies Absorption and Diffusion  
**NRC:** 0,70


**Installation/Accessories:**  
VicFix J Profile 80 mm (included);  
VicFix J Profile; VicFix Corner

# VicPattern Ultra HS CODE: 44101110 HF PA PS




VicPattern Ultra - Symmetric: Metallic Copper;  
Reflex: Natural Oak

### Dimensions



**Symmetric** 595×595×50 mm  
**Reflex** 595×595×50 mm

### Wood colors



More information on [www.vicoustic.com/search/vicpattern-ultra](http://www.vicoustic.com/search/vicpattern-ultra)  
For customized graphics or colors, contact: [sales@vicoustic.com](mailto:sales@vicoustic.com)

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m <sup>2</sup> / Box	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box
VicPattern <i>Black Matte</i> color	595×595×50	1,06	3	665×675×195	14	250 EUR netto	
VicPattern Other Wood colors	595×595×50	1,06	3	665×675×195	14	250 EUR netto	

**Raw Materials:** VicPET Wool, MDF, Melamine  
**Fire Rate:** TBA

**Acoustic Properties:** Medium and High Frequencies Absorption and Diffusion


**Installation/Accessories:**  
VicFix J Profile 80 mm (included);  
VicFix J Profile; VicFix Corner

# Flexi Wave Ultra HS CODE: 39211310 HF PA PS




Flexi Wave Ultra - 120: Brown Oak; 60: Natural Oak

### Dimensions



More information on [www.vicoustic.com/product/flexi-wave-ultra](http://www.vicoustic.com/product/flexi-wave-ultra)

### Wood colors




Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m <sup>2</sup> / Box	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box
Flexi Wave Ultra 60	595 × 100 × 150	0.36	6	605 × 620 × 185	5.2	275 EUR netto	
Flexi Wave Ultra 120	1190 × 100 × 150	0.72	6	1220 × 620 × 185	10.4	450 EUR netto	

**Raw Materials:** VicPET Wool, MDF, Melamine  
**Fire Rate:** TBA

**Acoustic Properties:** Medium Frequencies Absorption and Diffusion  
**NRC:** 0.70


**Installation/Accessories:**  
VicFix J Profile 80 mm (included);  
VicFix J Profile; Flexi Glue Ultra

# Wavewood Ultra Lite HS CODE: 39211310 HF PA




Wavewood Ultra Lite - Brown Oak

### Dimensions



More information on [www.vicoustic.com/product/wavewood-ultra-lite](http://www.vicoustic.com/product/wavewood-ultra-lite)

### Wood colors



Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m <sup>2</sup> / Box	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box
Wavewood Ultra Lite	595 × 595 × 45	2.83	8	665 × 675 × 355	—	479 EUR netto	

**Raw Materials:** Polyurethane Foam, MDF and Melamine  
**Fire Rate:** TBA

**Acoustic Properties:** Medium Frequencies Absorption  
**NRC:** 0.75


**Installation/Accessories:**  
Flexi Glue Ultra

# Flexi Wood Ultra Lite HS CODE: 39211310 HF PA




Flexi Wood Ultra Lite - Locarno Cherry

### Dimensions



More information on [www.vicoustic.com/product/flexi-wood-ultra-lite](http://www.vicoustic.com/product/flexi-wood-ultra-lite)

### Wood colors



Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m <sup>2</sup> / Box	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box
Flexi Wood Ultra Lite	595 × 595 × 54	2.12	6	620 × 620 × 330	10	479 EUR netto	

**Raw Materials:** Polyurethane Foam, MDF and Melamine  
**Fire Rate:** TBA

**Acoustic Properties:** Medium and Medium-low Frequencies Absorption  
**NRC:** 0.60


**Installation/Accessories:**  
VicFix J Profile (using VicFix Base);  
Flexi Glue Ultra

# Wavewood Diffuser Ultra MKII HS CODE: 39203000 HF PA



Wavewood Diffuser Ultra MKII - Locarno Cherry


### Dimensions



595 × 595 × 60 mm

More information on [www.vicoustic.com/product/wavewood-diffuser-ultra-mkii](http://www.vicoustic.com/product/wavewood-diffuser-ultra-mkii)

### Wood colors



Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m <sup>2</sup> / Box	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box
Wavewood Diffuser Ultra	595 × 595 × 60	1.06	3	665 × 667 × 195	5.5	220 EUR netto	

#### Raw Materials:

EPS (Expanded Polystyrene), Melamine

Fire Rate: Euroclass E

#### Acoustic Properties:

Medium frequencies Diffusion

NRC: 0.30

#### Installation/Accessories:

VicFix Mini (included); VicFix J Profile;


Flexi Glue Ultra

# Cinema Round Ultra VMT HS CODE: 44101110 HF PA



Cinema Round Ultra VMT - Locarno Cherry + Beige

### Dimensions



595 × 595 × 170 mm

More information on [www.vicoustic.com/product/cinema-round-ultra-vmt](http://www.vicoustic.com/product/cinema-round-ultra-vmt)

### Wood colors



### VMT colors



Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m <sup>2</sup> / Box	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box
Cinema Round Ultra Fuser	595 × 595 × 170	0.70	2	665 × 675 × 405	10,4	270 EUR netto	

Raw Materials: VicPET Wool, MDF, Melamine

Fire Rate: TBA

#### Acoustic Properties:

Medium and High Frequencies Absorption

NRC: 0.90

#### Installation/Accessories:

VicFix J Profile 80 mm (Included);


VicFix J Profile; VicFix Corner

# Cinema Round Ultra Fuser HS CODE: 44101110 HF PA



Cinema Round Ultra Fuser - Brown Oak


### Dimensions



595 × 595 × 170 mm

More information on [www.vicoustic.com/product/cinema-round-ultra-fuser](http://www.vicoustic.com/product/cinema-round-ultra-fuser)

### Wood colors



Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m <sup>2</sup> / Box	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box
Cinema Round Ultra Fuser	595 × 595 × 170	0,70	2	665 × 675 × 405	10.4	250 EUR netto	

Raw Materials: VicPet Wool, MDF, Melamine

Fire Rate: TBA

#### Acoustic Properties:

Diffuser

#### Installation/Accessories:

VicFix J Profile 80 mm (Included);

VicFix J Profile; VicFix Corner




# Cinema Round Premium HS CODE: 39211310 HF PA PS



Cinema Round Premium - Blue

### Dimensions



595×595×75 mm

### Fabric colors



More information on [www.vicoustic.com/product/cinema-round-premium](http://www.vicoustic.com/product/cinema-round-premium)

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m <sup>2</sup> / Box	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box
Cinema Round Premium	595×595×50	2.83	8	630×630×620	9.1	380 EUR netto	

**Raw Materials:** Polyurethane Foam, Fabric  
**Fire Rate:** Europe: Euroclass F

**Acoustic Properties:**  
 Medium and High Frequencies Absorption  
**NRC:** 0.95


**Installation/Accessories:**  
 VicFix J Profile or VicFix Corner  
 (using VicFix Base); Flexi Glue Ultra

# Multifuser Wood MKII HS CODE: 44101110 HF PA PS



Multifuser Wood MKII - 36: Metallic Gold; 64: Natural Wood

### Dimensions



36: 595×595×96 mm

64: 595×595×143 mm

### Wood colors



More information on [www.vicoustic.com/product/multifuser-wood-mkii](http://www.vicoustic.com/product/multifuser-wood-mkii)

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m <sup>2</sup> / Box	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box
Multifuser Wood MKII 36	595×595×96	0.35	1	625×330×140	15.2	294 EUR netto	
Multifuser Wood MKII 64	595×595×143	0.35	1	625×330×190	19.6	294 EUR netto	

**Raw Materials:** Solid Wood  
**Fire Rate:** Europe: Euroclass E;  
 USA: Class B (ASTM-E84)

**NRC:** 36: 0.25; 64: 0.35  
**Acoustic Properties:** Diffusion


**Installation/Accessories:**  
 VicFix J Profile 80 mm (included);  
 VicFix J Profile

# Multifuser DC3 NEW HS CODE: 39203000 HF PA



Multifuser DC3 - Grey

### Dimensions



595×595×148 mm

### EPS colors



**Multifuser DC3** is available now and is replacing Multifuser DC2.  
 More information on [vicoustic.com/product/multifuser-dc3](http://vicoustic.com/product/multifuser-dc3)

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m <sup>2</sup> / Box	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box
Multifuser DC3 <small>NEW</small>	595×595×148	1.40	4	710×710×615	7.6	240 EUR netto	

**Raw Materials:** EPS (Expanded Polystyrene)  
**Fire Rate:** Europe: Euroclass F


**Acoustic Properties:** Medium frequencies Diffusion  
**Installation/Accessories:** VicFix Mini (included), VicFix J Profile, Flexi Glue Ultra

## Trap Fuser HS CODE: 39203000 HF PA



Trap Fuser Grey

### Dimensions



595 × 595 × 169 mm

### EPS colors



More information on [www.vicoustic.com/product/trap-fuser](http://www.vicoustic.com/product/trap-fuser)

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m <sup>2</sup> / Box	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box
Trap Fuser Black	595 × 595 × 169	2.12	6	530 × 910 × 620	16.2	360 EUR netto	
Trap Fuser Grey	595 × 595 × 169	2.12	6	530 × 910 × 620	16.2	275 EUR netto	
Trap Fuser White	595 × 595 × 169	2.12	6	530 × 910 × 620	16.2	275 EUR netto	

**Raw Materials:** EPS (Expanded Polystyrene);

**Fire Rate:** Europe: Euroclass E; USA: Class C (ASTM-E84)

**Acoustic Properties:** Diffusion


**Installation/Accessories:** VicFix Base, Flexi Glue Ultra

## Super Bass Extreme Ultra HS CODE: 39211310 HF PA




Super Bass Extreme Ultra - Metallic Gold

### Dimensions



595 × 595 × 155 mm

### Wood colors



More information on [www.vicoustic.com/product/super-bass-extreme-ultra](http://www.vicoustic.com/product/super-bass-extreme-ultra)

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m <sup>2</sup> / Box	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box
Super Bass Extreme Ultra	595 × 595 × 155	0.70	2	650 × 375 × 630	13.5	350 EUR netto	

**Raw Materials:** VicPet Wool, Vicycle, MDF, Melamine

**Fire Rate:** TBA

**Acoustic Properties:** Low Frequencies Absorption; Bass Trap

**Installation/Accessories:**

VicFix J Profile 80 mm (included); VicFix J Profile; VicFix Corner; Flexi Glue Ultra; Manually assembled (no tools required)

## Super Bass Extreme VMT HS CODE: 39211310 HF PA



Super Bass Extreme VMT - Locarno Cherry + Grey

### Dimensions




595 × 595 × 155 mm

### Wood colors



### VMT colors



More information on [www.vicoustic.com/product/super-bass-extreme-vmt](http://www.vicoustic.com/product/super-bass-extreme-vmt)

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m <sup>2</sup> / Box	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box
Super Bass Extreme VMT	595 × 595 × 155	0.70	2	650 × 375 × 630	13.5	350 EUR netto	

**Raw Materials:** VicPet Wool, Vicycle, MDF, Melamine

**Fire Rate:** TBA

**Acoustic Properties:** Low Frequencies Absorption; Bass Trap

**Installation/Accessories:**

VicFix J Profile 80 mm (included); VicFix J Profile; VicFix Corner; Flexi Glue Ultra; Manually assembled (no tools required)

# Mega Bass Trap VMT **NEW** HS CODE: 39211310 HF PA



Mega Bass Trap VMT - Light Grey + Grey Matte


### Dimensions




680 × 384 × 1788 mm



### VMT colors



### Frame Colors



More information on

[www.vicoustic.com/product/mega-bass-trap-vmt](http://www.vicoustic.com/product/mega-bass-trap-vmt)

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m <sup>2</sup> / Box	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box
Mega Bass Trap VMT	680 × 384 × 1788	2.44	2 / 2 boxes	1845 × 700 × 155; 620 × 1133 × 125	36	1100 EUR netto	

**Raw Materials:** VicPET Wool, Solid Wood, Lacquered Steel

**Fire Rate:** TBA

**Acoustic Properties:** Broadband absorption; Bass Trap

**Installation/Accessories:** Mechanical Fixation; MBT VMT Horizontal Kit

# Mega Bass Trap VMT XXL **NEW** HS CODE: 39211310 HF PA




Mega Bass Trap VMT XXL - Grey + Grey Matte


### Dimensions




2380 × 1279 × 683 mm



### VMT colors



### Frame colors



More information on

[www.vicoustic.com/product/mega-bass-trap-vmt-xxl](http://www.vicoustic.com/product/mega-bass-trap-vmt-xxl)

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m <sup>2</sup> / Box	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box
Mega Bass Trap VMT XXL	2380 × 1279 × 683	6.08	2 / 4 boxes	(2×) 2470 × 1285 × 90; (2×) 1140 × 640 × 330	86.5	2300 EUR Netto	

**Raw Materials:** VicPET Wool, Solid Wood, Lacquered Steel

**Fire Rate:** TBA

**Acoustic Properties:** Broadband absorption; Bass Trap

**Installation/Accessories:** Mechanical Fixation



## Mega Bass Trap VMT & VMT XXL

Two next generation broadband bass traps to deal with low end, medium, and high frequencies all in a single product, making them likely the best solution in the market to control the complete audible frequency spectrum.

Vicoustic was able to develop a product with superb acoustic performance, mostly made of recycled materials (plastic water bottles), that is recyclable at the end of life and that also takes into account air quality and human safety.

The bass traps are certified for Indoor Advantage™ Gold Building Materials, by SCS Global Services, meeting indoor air quality recommendations.


Like any other VMT product, the front is totally customizable, enabling the client to print his own label, signage, pattern, or color of preference.

# VicTotem Ultra VMT HS CODE: 44101110 HF PA

VicTotem Ultra VMT  
- Locarno Cherry + 23a



### Dimensions and Components




1 Unit includes  
3 modules + 1 base  
1857 × 595 × 366 mm

### Wood colors



### VMT colors



More information on  
[www.vicoustic.com/product/victotem-ultra-vmt](http://www.vicoustic.com/product/victotem-ultra-vmt)

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m <sup>2</sup> / Box	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box
VicTotem <i>Black Matte</i> color	1857 × 595 × 366	—	1	(3 ×) 665 × 675 × 355	—	915 EUR netto	
VicTotem Other Wood colors	1857 × 595 × 366	—	(4 boxes)	+(1 ×) 650 × 405 × 60	—	899 EUR netto	

### Raw Materials:

VicPET Wool, Vicycle, MDF, Melamine

**Fire Rate:** TBA

### Acoustic Properties:

Low to High Frequency Absorption and  
Diffusion; Bass Trap

### Installation/Accessories:


Manually assembled (no tools required)

# Vari Bass Ultra HS CODE: 44101110 HF PA

Vari Bass Ultra -  
Brown Oak




### Dimensions



Ø 370 × 600 mm

### Wood colors



More information on [www.vicoustic.com/product/vari-bass-ultra](http://www.vicoustic.com/product/vari-bass-ultra)

Product Info		Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m <sup>2</sup> / Box	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box
Vari Bass Ultra	Ø 370 × 600	—	2	745 × 415 × 600	18.6	499 EUR netto	

**Raw Materials:** MDF with melamine,  
Foam covered with grey fabric

**Fire Rate:** TBA

**Acoustic Properties:** Absorption / Bass Trap

### Installation/Accessories:

Manually assembled (no tools required)


# Insulation Solutions PA

Product Info			Packaging Info (Box)			Suggested Retail Price	
Description	Size (mm)	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box	
 VicVibro RCH1.01	—	50	323×238×143	4.8	tel. / e-mail		
Type of system: Rubber; Suitable for: Ceilings; Suitable profile size: 45/47 mm; Load range (per unit): 80-300 N							
 VicVibro SCH.01	—	40	323×238×143	4.8	tel. / e-mail		
Type of system: Hybrid (Rubber + Spring); Suitable for: Ceilings; Suitable profile size: 60 mm; Load range (per unit): 150-300 N							
 VicVibro RWM1.01	—	50	323 x 238 x 143	6,4	tel. / e-mail		
Type of system: Rubber; Suitable for: Structural Walls; Suitable profile size: 48/70/90 mm; Load range (per unit): 20-150 N (elong.); 50-400 N (comp.)							
 VicVibro SWM1.01	—	50	323×238×143	11.62	tel. / e-mail		
Type of system: Hybrid (Rubber + Spring); Suitable for: Structural Walls; Suitable profile size: 48/70/90 mm; Load range (per unit): 150-300 N							
 VicVibro RWM2.03	—	50	323 x 238 x 143	6,4	tel. / e-mail		
Type of system: Rubber; Suitable for: Double-stud walls; Suitable profile size: 48/70/90 mm; Load range (per unit): 20-150 N (elong.); 50-400 N (comp.)							
 VicVibro SWM2.01	—	50	323×238×143	11.62	tel. / e-mail		
Type of system: Hybrid (Rubber + Spring); Suitable for: Double-stud walls; Suitable profile size: 48/70/90 mm; Load range (per unit): 150-300 N							
 VicVibro WS50	—	200	625×329×188	14.94	tel. / e-mail		
Type of system: Rubber; Suitable for: Floating walls/partitions; Suitable profile size: 50 mm (U-runner profiles); Load range (per unit): 800 N							
 ViCycle 40 mm	1000×600×40	8 units / 4.8 m <sup>2</sup>	1000×600×320	12.2	tel. / e-mail		
 ViCycle 60 mm	1000×600×60	5 units / 3 m <sup>2</sup>	1000×600×300	10.4	tel. / e-mail		
 Iso Underfloor	50000×1500×5	1 unit / 75 m <sup>2</sup>	Ø600×1500	12.2	tel. / e-mail		
 Iso Blanket	5000×1000×4	1 unit / 5 m <sup>2</sup>	Ø200×100	39.8	tel. / e-mail		
 Iso Blanket Pro	5000×1000×10	1 unit / 5 m <sup>2</sup>	Ø300×100	23	tel. / e-mail		
 Iso Wall Decoupling	10000×100×10	1	Ø300×100	0.45	tel. / e-mail		
 Rubberstrip	10000×10×5	1	270×270×13	1	tel. / e-mail		

More information on [www.vicoustic.com/professional-audio/insulation](http://www.vicoustic.com/professional-audio/insulation)



# Budget Line

 HS CODE: 39211310 








Product Info			Packaging Info (Box)				Suggested Retail Price	
Description	Size (mm)	m <sup>2</sup> / Box	Units / Box	Dimensions (mm)	Weight (kg)	m <sup>2</sup>	Box	
 Cinema Round	595×595×75	2.83	8	630×630×620	6.5	240 EUR netto		
Raw Materials: Polyurethane Foam; Fire Rate: Europe: Euroclass F; Acoustic Properties: Medium and High Frequencies Absorption; NRC: 0,85								
 Flexi A50	600×600×50	4.32	12	630×630×620	6.3	240 EUR netto		
Raw Materials: Polyurethane Foam; Fire Rate: Europe: Euroclass F; Acoustic Properties: Medium and High Frequencies Absorption; NRC: 0,60								
 Flexi Kick Drum	600×505×60	—	1	600×505×60	0.6	tel. / e-mail		
Raw Materials: Polyurethane Foam; Fire Rate: Europe: Euroclass F; Acoustic Properties: Bass Drum Harmonic Control								
 Flexi Screen Lite V.2	438×295×355	—	6	255×255×255	5.1	58 EUR netto		
Raw Materials: Polyurethane Foam; Fire Rate: Europe: Euroclass F; Acoustic Properties: Mobile Acoustic Shield								
 Flexi Wall	(3×) 1830×600×200	3.24	1	620×620×495	11.4	485 EUR netto		
Raw Materials: Polyurethane Foam, Wood ; Fire Rate: Europe: Euroclass F; Acoustic Properties: High Frequencies Absorption								
 MD55	Super Kit	300×300×55	5.76	64	630×630×620	7.5	310 EUR netto	
	Super Kit Light		2.88	32	620×620×335	4.4	160 EUR netto	
Raw Materials: Polyurethane Foam; Fire Rate: Europe: Euroclass F; Acoustic Properties: Medium and High Frequencies Absorption; NRC: 0,60								
 Super Bass 90	600×300×340	—	4	630×630×620	7.0	245 EUR netto		
Raw Materials: Polyurethane Foam; Fire Rate: Europe: Euroclass F; Acoustic Properties: Low Frequencies Absorption, Bass Trap								
 Pulsar Panel	600×600×57	5.76	16	630×630×620	7.6	320 EUR netto		
Raw Materials: Polyurethane Foam; Fire Rate: Europe: Euroclass F; Acoustic Properties: High Frequencies Absorption; NRC: 0,60								
 Mega Fuser Bass Trap	600×300×260	—	8	630×630×620	7.3	310 EUR netto		
Raw Materials: Polyurethane Foam; Fire Rate: Europe: Euroclass F; Acoustic Properties: Low Frequencies Absorption, Bass Trap								
 Mix Kit Pulsar	8 Pulsar Panel + 4 Mega Fuser Bass Trap	—	—	8 + 4	630×630×620	7.6	320 EUR netto	
Raw Materials: Polyurethane Foam; Fire Rate: Europe: Euroclass F; Acoustic Properties: High Frequencies Absorption; NRC: 0,60								

 More information on [www.vicoustic.com/professional-audio/budget-line](http://www.vicoustic.com/professional-audio/budget-line)

# Accessories HF PA PS WS

Product Info		Packaging Info (Box)			Suggested Retail Price	
Description	Size (mm)	Units / Box	Dimensions (mm)	Weight (kg)	Box	
	VicFix J Profile	20×10×2000	20	Ø 85×2100	7.6	359 EUR netto
			5	Ø 75×2100	2.7	90 EUR netto
	VicFix J Profile 80 mm	20×10×80	4	80×120	0.08	tel. / e-mail
	VicFix Corner	80×83×21,5	4 rights + 4 lefts	175×105×35	0.535	36 EUR netto 25 EUR netto
	VicFix Gauge	50×10×650	2	Ø 85×700	0.8	
	VicFix Frame 1×3	1600×400×21	1	1610×500×50	2.0	50 EUR netto
	VicFix Frame 2×2	1000×1000×21	1	1100×900×50	3.0	60 EUR netto
	VicFix Metallic	75×10	10	85×55	0.2	24 EUR netto
	VicFix Magnetic Round Metal Plate, Magnet, Rubber Caps and Screw	Ø 20 (Magnet) Ø 150 (Plate)	6	170×170×70	0.6	49 EUR netto
	VicFix Base	595×595×12	2	630×610×40		70 EUR netto
	Vari Bass Stacker	402×Ø 368	1	510×510×100	2.0	75 EUR netto
	Super Bass Extreme Base	595×353×12	1	650×405×55	2.4	30 EUR netto
	VicSpacer Suspension Kit <sup>NEW</sup> Makes it possible to suspend the VicSpacer from the ceiling, increasing significantly the absorption capacity	70×70×8	16	445×385×45	0.75	159 EUR netto
	Mega Bass Trap VMT Horizontal Kit <sup>NEW</sup> ○ White Matte ● Black Matte ● Grey Matte	380×384×40	2	805×405×55	3.35	80 EUR netto

# Accessories HF PA PS WS

Product Info		Packaging Info (Box)			Suggested Retail Price
Description	Size (mm)	Units / Box	Dimensions (mm)	Weight (kg)	Box
 <p><b>AluFrame VMT 20 Single</b>  <span>●</span> Black <span>●</span> Silver <span>●</span> Gold</p>	25 × 33 × 3000	4	Ø 85 × 3050		239 EUR netto
 <p><b>AluFrame VMT 20 Double</b>  <span>●</span> Black <span>●</span> Silver <span>●</span> Gold</p>	30 × 33 × 3000	4	Ø 85 × 3050		289 EUR netto
 <p><b>AluFrame VMT T</b>  <span>●</span> Black <span>●</span> Silver <span>●</span> Gold</p>	8 × 1.9 × 3000	8	Ø 85 × 3050		110 EUR netto
 <p><b>AluFrame VicWallpaper</b>  <span>●</span> Black <span>●</span> Silver <span>●</span> Gold</p>	8 × 4.6 × 3000	4	Ø 85 × 3050		189 EUR netto
 <p><b>AluFrame Connector Inner 90</b>            (for AluFrame VMT 20 Single and Double)</p>	30 × 30 × 7	8	80 × 120		39 EUR netto
 <p><b>Flexi Glue Ultra</b></p>	1 Tube - 310 ml	12	210 × 160 × 240		120 EUR netto
 <p><b>Stand-Alone</b>            Black MDF, lacquer aluminum and a natural ash base</p>	1833 × 525 × 604	1 (2 boxes)	(Box 1) 1910 × 680 × 145 (Box 2) 680 × 600 × 110		10 79 EUR netto

## VicBooth Ultra **Vocal Booth** HS CODE: 44189990 PA




### Components

- 1 Module 1 × 1
- 1 Door with Window
- 1 Side with Window
- 2 Sides with VicFix
- 2 VicBooth Ultra Pack 1 (4 Cinema Round Premium, Black)

### Available finishes

- Black
- White
- Natural Oak

### Dimensions



1076 × 1030 × 2230 mm (Ext.)  
968 × 968 × 2008 mm (Int.)

Product Info		Packaging Information			Suggested Retail Price
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)	
● VICB037	Black	1 unit / 9 boxes	(1×)2120 × 255 × 190	219	tel. / e-mail
○ VICB038	White		+ (2×)1100 × 1100 × 160 +		
● VICB039	Natural Oak		(4×)2210 × 1000 × 100 + (2×)1260 × 675 × 195		

**Raw Materials:** see Components section (pages 29-31)

**Noise Isolation Class (NIC)\*:** 30; **NIC (w/ CRP)\*\*** 31

## VicBooth Ultra **Practice Room** HS CODE: 44189990 PA




### Components

- 1 Module 1 × 2
- 1 Door with Window
- 5 Sides with VicFix
- 2 VicBooth Ultra Pack 1 (4 Cinema Round Premium, Black)
- 2 VicBooth Ultra Pack 2 (4 VicPattern Ultra Wavewood, Black Matte)

### Available finishes

- Black
- White
- Natural Oak

### Dimensions



1076 × 2030 × 2230 mm (Ext.)  
968 × 1968 × 2008 mm (Int.)

Product Info		Packaging Information			Suggested Retail Price
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)	
● VICB040	Black	1 unit / 16 boxes	(2×)2120 × 255 × 190	353	tel. / e-mail
○ VICB041	White		+ (4×)1100 × 1100 × 160 +		
● VICB042	Natural Oak		(6×)2210 × 1000 × 100 + (4×)1260 × 675 × 195		

**Raw Materials:** see Components section (pages 29-31)

**Noise Isolation Class (NIC)\*:** 31; **NIC (w/ CRP)\*\*** 32

\* Measurements taken according to ASTM E595 and NIC Value calculated according to ASTM E413. \*\* Measurements were taken with 2 Cinema Round Premium in each wall.

## VicBooth Ultra **Control Room** HS CODE: 44189990 PA





### Components

- 1 Module 2 × 2
- 1 Door with Window
- 2 Sides with Window
- 5 Sides with VicFix
- 2 VicBooth Ultra Pack 1 (4 Cinema Round Premium, Black)
- 2 VicBooth Ultra Pack 2 (4 VicPattern Ultra Wavewood, Black Matte)

### Available finishes

- Black
- White
- Natural Oak

### Dimensions



2076 × 2030 × 2230 mm (Ext.)  
1968 × 1968 × 2008 mm (Int.)

Product Info		Packaging Information			Suggested Retail Price
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)	
<span style="color: black;">●</span> VICB043	Black	1 unit / 23 boxes	(3 ×) 2120 × 255 × 190	583	tel. / e-mail
<span style="color: gray;">○</span> VICB044	White		+ (8 ×) 1100 × 1100 × 160 +		
<span style="color: brown;">●</span> VICB045	Natural Oak		(8 ×) 2210 × 1000 × 100 + (4 ×) 1260 × 675 × 195		

**Raw Materials:** see Components section (pages 29-31)

**Noise Isolation Class (NIC)\*:** 31; **NIC (w/ CRP)\*\*:** 32

## VicBooth Ultra **Recording Room** HS CODE: 44189990 PA





### Components

- 1 Module 2 × 2
- 1 Door with Window
- 1 Side with Window
- 6 Sides with VicFix
- 2 VicBooth Ultra Pack 1 (4 Cinema Round Premium, Black)
- 4 VicBooth Ultra Pack 2 (8 VicPattern Ultra Wavewood, Black Matte)

### Available finishes

- Black
- White
- Natural Oak

### Dimensions



2076 × 2030 × 2230 mm (Ext.)  
1968 × 1968 × 2008 mm (Int.)

Product Info		Packaging Information			Suggested Retail Price
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)	
<span style="color: black;">●</span> VICB046	Black	1 unit / 25 boxes	(3 ×) 2120 × 255 × 190	575	tel. / e-mail
<span style="color: gray;">○</span> VICB047	White		+ (8 ×) 1100 × 1100 × 160 +		
<span style="color: brown;">●</span> VICB048	Natural Oak		(8 ×) 2210 × 1000 × 100 + (6 ×) 1260 × 675 × 195		

**Raw Materials:** see Components section (pages 29-31)

**Noise Isolation Class (NIC)\*:** 31; **NIC (w/ CRP)\*\*:** 32

\* Measurements taken according to ASTM E595 and NIC Value calculated according to ASTM E413. \*\* Measurements were taken with 2 Cinema Round Premium in each wall.

## VicBooth Ultra Control Room 2 × 3 HS CODE: 44189990 PA




### Components

- 1 Module 2 × 3
- 1 Door with Window
- 2 Sides with Window
- 7 Sides with VicFix
- 2 VicBooth Ultra Pack 1 (4 Cinema Round Premium, Black)
- 4 VicBooth Ultra Pack 2 (8 VicPattern Ultra Wavewood, Black Matte)

### Available finishes

- Black
- White
- Natural Oak

### Dimensions



2076 × 2030 × 2230 mm (Ext.)  
1968 × 1968 × 2008 mm (Int.)

Product Info		Packaging Information			Suggested Retail Price
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)	
<input checked="" type="radio"/> VICB055	Black	1 unit / 32 boxes	(4 ×) 2120 × 255 × 190	797	tel. / e-mail
<input type="radio"/> VICB056	White		+ (12 ×) 1100 × 1100 × 160 +		
<input checked="" type="radio"/> VICB057	Natural Oak		(10 ×) 2210 × 1000 × 100 + (6 ×) 1260 × 675 × 195		

**Raw Materials:** see Components section (pages 29-31)

**Noise Isolation Class (NIC)\*:** TBA; **NIC (w/ CRP)\*\*** TBA

## VicBooth Ultra Recording Room 2 × 3 HS CODE: 44189990 PA




### Components

- 1 Module 2 × 3
- 1 Door with Window
- 2 Side with Window
- 7 Sides with VicFix
- 3 VicBooth Ultra Pack 1 (6 Cinema Round Premium, Black)
- 4 VicBooth Ultra Pack 2 (8 VicPattern Ultra Wavewood, Black Matte)

### Available finishes

- Black
- White
- Natural Oak

### Dimensions



2076 × 2030 × 2230 mm (Ext.)  
1968 × 1968 × 2008 mm (Int.)

Product Info		Packaging Information			Suggested Retail Price
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)	
<input checked="" type="radio"/> VICB058	Black	1 unit / 33 boxes	(4 ×) 2120 × 255 × 190	797	tel. / e-mail
<input type="radio"/> VICB059	White		+ (12 ×) 1100 × 1100 × 160 +		
<input checked="" type="radio"/> VICB060	Natural Oak		(10 ×) 2210 × 1000 × 100 + (7 ×) 1260 × 675 × 195		

**Raw Materials:** see Components section (pages 29-31)











**Noise Isolation Class (NIC)\*:** TBA; **NIC (w/ CRP)\*\*** TBA

\* Measurements taken according to ASTM E595 and NIC Value calculated according to ASTM E413. \*\* Measurements were taken with 2 Cinema Round Premium in each wall.










# VicBooth Ultra Components

You can configure your booth at [vicbooth.vicoustic.com/ultra/configurator](http://vicbooth.vicoustic.com/ultra/configurator)

Product Info			Packaging Info			Sug. Retail Price
Article	Description	Size (mm)	Units / Box	Dimensions (mm)	Weight (kg)	
	U04820 Module 1 × 1	1000 × 1000 × 2200	1 unit / 3 boxes	(1 ×) 2120 × 255 × 190 + (2 ×) 1100 × 1100 × 160	94	tel. / e-mail
Raw materials: MDF HLS; MDF ST with melamine finish, VicPET Wool, ViCycle, grey felt (100% wool), dark grey needled pile carpet						
	U04821 Module 1 × 2	1000 × 2000 × 2200	1 unit / 6 boxes	(2 ×) 2120 × 255 × 190 + (4 ×) 1100 × 1100 × 160	188	tel. / e-mail
Raw materials: MDF HLS; MDF ST with melamine finish, VicPET Wool, ViCycle, grey felt (100% wool), dark grey needled pile carpet						
	U04822 Module 2 × 2	2000 × 2000 × 2200	1 unit / 11 boxes	(3 ×) 2120 × 255 × 190 + (8 ×) 1100 × 1100 × 160	354	tel. / e-mail
Raw materials: MDF HLS; MDF ST with melamine finish, VicPET Wool, ViCycle, grey felt (100% wool), coated steel plate, dark grey needled pile carpet						
	U04823 Module 2 × 3	2000 × 3000 × 2200	1 unit / 16 boxes	(4 ×) 2120 × 255 × 190 + (12 ×) 1100 × 1100 × 160	520	tel. / e-mail
Raw materials: MDF HLS; MDF ST with melamine finish, VicPET Wool, ViCycle, grey felt (100% wool), coated steel plate, dark grey needled pile carpet						
	U04824 Module 3 × 3	3000 × 3000 × 2200	1 unit / 23 boxes	(5 ×) 2120 × 255 × 190 + (18 ×) 1100 × 1100 × 160	758	tel. / e-mail
Raw materials: MDF HLS; MDF ST with melamine finish, VicPET Wool, ViCycle, grey felt (100% wool), coated steel plate, dark grey needled pile carpet						
	U04960 Module 3 × 4	3000 × 4000 × 2200	1 unit / 30 boxes	(6 ×) 2120 × 255 × 190 + (24 ×) 1100 × 1100 × 160	996	tel. / e-mail
Raw materials: MDF HLS; MDF ST with melamine finish, VicPET Wool, ViCycle, grey felt (100% wool), coated steel plate, dark grey needled pile carpet						
	U04843 ● U04844 ○ Standard door U04845 ●	61 × 884 × 2100	1	2210 × 1000 × 100	32	tel. / e-mail
Raw materials: MDF ST with melamine finish, VicPET Wool, grey felt (100% wool), coated steel plate, leather						
	U04840 ● U04841 ○ Door with window U04874 ●	61 × 884 × 2100	1	2210 × 1000 × 100	45	tel. / e-mail
Raw materials: MDF ST with melamine finish, VicPET Wool, grey felt (100% wool), coated steel plate, laminated glass, leather						
	U04983 ● U04981 ○ Left Standard door U04985 ●	61 × 884 × 2100	1	2210 × 1000 × 100	32	tel. / e-mail
Raw materials: MDF ST with melamine finish, VicPET Wool, grey felt (100% wool), coated steel plate, leather						
	U04982 ● U04980 ○ Left Door with window U04984 ●	61 × 884 × 2100	1	2210 × 1000 × 100	45	tel. / e-mail
Raw materials: MDF ST with melamine finish, VicPET Wool, grey felt (100% wool), coated steel plate, laminated glass, leather						

# VicBooth Ultra Components

Product Info				Packaging Info			Sug. Retail Price
Article	Description	Size (mm)	Units / Box	Dimensions (mm)	Weight (kg)		
	U04825 ●						
	U04826 ○ Standard side	30×884×2100	1	2210×1000×100	25	tel. / e-mail	
	U04872 ●						
Raw materials: MDF ST with melamine finish, VicPET Wool, grey felt (100% wool)							
	U04828 ●						
	U04829 ○ Side with window	30×884×2100	1	2210×1000×100	32	tel. / e-mail	
	U04830 ●						
Raw materials: MDF ST with melamine finish, VicPET Wool, grey felt (100% wool), laminated glass							
	U04834 ●						
	U04835 ○ Side with shelf	30×884×2100	1	2210×1000×100	28	tel. / e-mail	
	U04836 ●						
Raw materials: MDF ST with melamine finish, VicPET Wool, grey felt (100% wool), coated steel plate							
	U04837 ●						
	U04838 ○ Side with window and shelf	30×884×2100	1	2210×1000×100	38	tel. / e-mail	
	U04839 ●						
Raw materials: MDF ST with melamine finish, VicPET Wool, grey felt (100% wool), coated steel plate, laminated glass							
	U04831 ●						
	U04832 ○ Side with VicFix	30×884×2100	1	2210×1000×100	24	tel. / e-mail	
	U04873 ●						
Raw materials: MDF ST with melamine finish, VicPET Wool, grey felt (100% wool)							
	B05988	VicBooth Ultra Pack 1 2 Cinema Round Premium (Black) + 2 VicFix Base	595×595×75	2	1260×675×195	N/A	tel. / e-mail
	Raw materials: Polyurethane foam, fabric; Fire Rate: europe: Euroclass F; Acoustic properties: medium and high frequencies absorption; NRC: 0,95						
	B05989	VicBooth Ultra Pack 2 2 VicPattern Ultra Wavewood (Black Mate)	595×595×50	2	1260×675×195	N/A	tel. / e-mail
	Raw materials: VicPet Wool, MDF, melamine; Fire Rate: TBA; Acoustic Properties: medium and high frequencies absorption and diffusion; NRC: 0,70						

## VicBooth Ultra Extension Hardware Kits

In order to increase the size of a booth, you will need the Extension Kit corresponding to the final size you want, required to connect the new elements.

Product Info		Packaging Info			Sug. Retail Price
Article	Description	Units / Box	Dimensions (mm)	Weight (kg)	
U04882	Kit 1 × 2 Screws, Foam seal, Hex key and manual	1	325 × 235 × 30	N/A	tel. / e-mail
U04883	Kit 2 × 2 Screws, Foam seal, 1 Connection plate, Hex key and manual	1	325 × 235 × 30	N/A	tel. / e-mail
U04884	Kit 2 × 3 Screws, Foam seal, 2 Connection plates, Hex key and manual	1	325 × 235 × 30	N/A	tel. / e-mail
U04962	Kit 3 × 3 Screws, Foam seal, 4 Connection plates, 4 Angle Brackets, 2 Metal Beams, Hex key and manual	1	325 × 235 × 30	N/A	tel. / e-mail
U04963	Kit 3 × 4 Screws, Foam seal, 6 Connection plates, 6 Angle Brackets, 3 Metal Beams, Hex key and manual	1	325 × 235 × 30	N/A	tel. / e-mail

## VicBooth Office Phone Booth HS CODE: 44189990 WS




### Components

- 1 Module 1 x 1  
(incl. 1 EU Ventilation Unit  
+ 1 Power Strip / USB Charger )
- 1 Door with Window
- 1 Side with Shelf
- 1 Standard Side
- 1 Side with Large Window

### Available finishes

- Black
- White
- Natural Oak

### Dimensions



1076 x 1030 x 2277 mm (Ext.)  
968 x 968 x 2008 mm (Int.)

Product Info		Packaging Information			Suggested Retail Price
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)	
<input checked="" type="radio"/> VICBOF001	Black	1 unit / 8 boxes	(1x)2120 x 255 x 190	214 (avg.)	tel. / e-mail
<input type="radio"/> VICBOF002	White		+ (2x)1100 x 1100 x 160		
<input checked="" type="radio"/> VICBOF003	Natural Oak		+ (4x)2210 x 1000 x 100 + (1x)530 x 205 x 120		

**Raw Materials:** see Components section (pages 35-37)

**Speech Level Reduction:** Class B enclosure (ISO 23351-1)\*

## VicBooth Office Chat Booth HS CODE: 44189990 WS




### Components

- 1 Module 1 x 3  
(incl. 2 EU Ventilation Units  
+ 1 Power Strip / USB Charger )
- 1 Door with Window
- 1 Left Door with Window
- 1 Side with Large Window
- 2 Sides with Window
- 3 Standard Sides

### Available finishes

- Black
- White
- Natural Oak

### Dimensions



1076 x 3030 x 2277 mm (Ext.)  
968 x 2968 x 2008 mm (Int.)

Product Info		Packaging Information			Suggested Retail Price
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)	
<input checked="" type="radio"/> VICBOF004	Black	1 unit / 19 boxes	(3x)2120 x 255 x 190	353 (avg.)	tel. / e-mail
<input type="radio"/> VICBOF005	White		+ (6x)1100 x 1100 x 160		
<input checked="" type="radio"/> VICBOF006	Natural Oak		+ (8x)2210 x 1000 x 100 + (2x)530 x 205 x 120		

**Raw Materials:** see Components section (pages 35-37)

**Speech Level Reduction:** Class B enclosure (ISO 23351-1)\*

\* According to the Speech Level Reduction parameter measurements, meaning it can provide acceptable speech privacy in modern office spaces.

## VicBooth Office **Focus Cube** HS CODE: 44189990 WS




### Components

- 1 Module 2 x 2 (incl. 2 EU Ventilation Units + 1 Power Strip / USB Charger)
- 1 Door with Window
- 3 Side with Large Window
- 4 Standard Sides

### Available finishes

- Black
- White
- Natural Oak

### Dimensions



2076 x 2030 x 2277 mm (Ext.)  
1968 x 1968 x 2008 mm (Int.)

Product Info		Packaging Information			Suggested Retail Price
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)	
● VICBOF007	Black	1 unit / 21 boxes	(3 x) 2120 x 255 x 190	543 (avg.)	tel. / e-mail
○ VICBOF008	White		+ (8 x) 1100 x 1100 x 160		
● VICBOF009	Natural Oak		+ (8 x) 2210 x 1000 x 100		
			+ (2 x) 530 x 205 x 120		

**Raw Materials:** see Components section (pages 35-37)

**Speech Level Reduction:** Class B enclosure (ISO 23351-1)\*

## VicBooth Office **Meeting Booth** HS CODE: 44189990 WS




### Components

- 1 Module 2 x 3 (incl. 2 EU Ventilation Units + 1 Power Strip / USB Charger)
- 1 Door with Window
- 4 Sides with Large Windows
- 5 Standard Sides

### Available finishes

- Black
- White
- Natural Oak

### Dimensions



2076 x 3030 x 2277 mm (Ext.)  
1968 x 2968 x 2008 mm (Int.)

Product Info		Packaging Information			Suggested Retail Price
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)	
● VICBOF010	Black	1 unit / 26 boxes	(4 x) 2120 x 255 x 190	793 (avg.)	tel. / e-mail
○ VICBOF011	White		+ (12 x) 1100 x 1100 x 160		
● VICBOF012	Natural Oak		+ (10 x) 2210 x 1000 x 100		
			+ (2 x) 530 x 205 x 120		

**Raw Materials:** see Components section (pages 35-37)

**Speech Level Reduction:** Class B enclosure (ISO 23351-1)\*

\* According to the Speech Level Reduction parameter measurements, meaning it can provide acceptable speech privacy in modern office spaces.



# VicBooth Office Conference Booth HS CODE: 44189990 WS




### Components

- 1 Module 3 × 4 (incl. 4 EU Ventilation Units + 1 Power Strip / USB Charger )
- 1 Door with Window
- 6 Sides with Large Windows
- 7 Standard Sides

### Available finishes

- Black
- White
- Natural Oak

### Dimensions



3076 × 4030 × 2277 mm (Ext.)  
2968 × 3968 × 2008 mm (Int.)

Product Info		Packaging Information			Suggested Retail Price
Reference	Color	Boxes	Dimensions (mm)	Weight (kg)	
● VICBOF013	Black	1 unit / 48 boxes	(6 ×) 2120 × 255 × 190	TBA	tel. / e-mail
○ VICBOF014	White		+ (24 ×) 1100 × 1100 × 160		
● VICBOF015	Natural Oak		+ (14 ×) 2210 × 1000 × 100		
			+ (4 ×) 530 × 205 × 120		

**Raw Materials:** see Components section (pages 35-37)

**Speech Level Reduction:** Class B enclosure (ISO 23351-1)\*



\* According to the Speech Level Reduction parameter measurements, meaning it can provide acceptable speech privacy in modern office spaces.








# VicBooth Office Components

You can configure your booth at [vicbooth.vicoustic.com/office/configurator](http://vicbooth.vicoustic.com/office/configurator)

Product Info			Packaging Info			Sug. Retail Price	
Article	Description	Size (mm)	Units / Box	Dimensions (mm)	Weight (kg)		
<b>Module 1 × 1</b> (includes 1 Ventilation Unit + 1 Power Strip / USB Charger)							
	U04992	EU version	1000 × 1000 × 2200	1 unit / 4 boxes	(1 ×) 2120 × 255 × 190 + (2 ×) 1100 × 1100 × 160 + (1 ×) 530 × 205 × 120	94	tel. / e-mail
	U05022	UK version					
	U05029	US version					
	U05036	AU version					
<b>Module 1 × 2</b> (includes 1 Ventilation Unit + 1 Power Strip / USB Charger)							
	U04993	EU version	1000 × 2000 × 2200	1 unit / 7 boxes	(2 ×) 2120 × 255 × 190 + (4 ×) 1100 × 1100 × 160 + (1 ×) 530 × 205 × 120	188	tel. / e-mail
	U05023	UK version					
	U05030	US version					
	U05037	AU version					
<b>Module 1 × 3</b> (includes 2 Ventilation Units + 1 Power Strip / USB Charger)							
	U05054	EU version	1000 × 3000 × 2200	1 unit / 10 boxes	(3 ×) 2120 × 255 × 190 + (6 ×) 1100 × 1100 × 160 + (2 ×) 530 × 205 × 120	262	tel. / e-mail
	U05024	UK version					
	U05031	US version					
	U05038	AU version					
<b>Module 2 × 2</b> (includes 2 Ventilation Units + 1 Power Strip / USB Charger)							
	U04994	EU version	2000 × 2000 × 2200	1 unit / 12 boxes	(3 ×) 2120 × 255 × 190 + (8 ×) 1100 × 1100 × 160 + (2 ×) 530 × 205 × 120	354	tel. / e-mail
	U05025	UK version					
	U05032	US version					
	U05039	AU version					
<b>Module 2 × 3</b> (includes 2 Ventilation Units + 1 Power Strip / USB Charger)							
	U04995	EU version	2000 × 3000 × 2200	1 unit / 18 boxes	(4 ×) 2120 × 255 × 190 + (12 ×) 1100 × 1100 × 160 + (2 ×) 530 × 205 × 120	520	tel. / e-mail
	U05026	UK version					
	U05033	US version					
	U05040	AU version					
<b>Module 3 × 3</b> (includes 3 Ventilation Units + 1 Power Strip / USB Charger)							
	U04996	EU version	3000 × 3000 × 2200	1 unit / 26 boxes	(5 ×) 2120 × 255 × 190 + (18 ×) 1100 × 1100 × 160 + (3 ×) 530 × 205 × 120	846	tel. / e-mail
	U05027	UK version					
	U05034	US version					
	U05041	AU version					
<b>Module 3 × 4</b> (includes 4 Ventilation Units + 1 Power Strip / USB Charger)							
	U04997	EU version	3000 × 4000 × 2200	1 unit / 34 boxes	(5 ×) 2120 × 255 × 190 + (18 ×) 1100 × 1100 × 160 + (4 ×) 530 × 205 × 120	1128	tel. / e-mail
	U05028	UK version					
	U05035	US version					
	U05042	AU version					

Modules raw materials: MDF HLS; MDF ST with melamine finish, VicPET Wool, ViCycle, coated steel (2 × 2 - 3 × 4), dark grey needled pile carpet

# VicBooth Office Components












Product Info				Packaging Info			Sug. Retail Price
Article	Description	Size (mm)	Units / Box	Dimensions (mm)	Weight (kg)		
	U05010 ●						
	U05011 ○ Door with window	61×884×2100	1	2210×1000×100	45	tel. / e-mail	
	U05012 ●						
Raw materials: MDF ST with melamine finish, VicPET Wool, coated steel plate, laminated glass, leather							
	U05013 ●						
	U05014 ○ Left Door with window	61×884×2100	1	2210×1000×100	45	tel. / e-mail	
	U05015 ●						
Raw materials: MDF ST with melamine finish, VicPET Wool, coated steel plate, laminated glass, leather							
	U04998 ●						
	U04999 ○ Standard side	30×884×2100	1	2210×1000×100	25	tel. / e-mail	
	U05000 ●						
Raw materials: MDF ST with melamine finish, VicPET Wool							
	U05001 ●						
	U05002 ○ Side with window	30×884×2100	1	2210×1000×100	32	tel. / e-mail	
	U05003 ●						
Raw materials: MDF ST with melamine finish, VicPET Wool, laminated glass							
	U05004 ●						
	U05005 ○ Side with shelf	30×884×2100	1	2210×1000×100	28	tel. / e-mail	
	U05006 ●						
Raw materials: MDF ST with melamine finish, VicPET Wool, coated steel plate							
	U05007 ●						
	U05008 ○ Side with window and shelf	30×884×2100	1	2210×1000×100	38	tel. / e-mail	
	U05009 ●						
Raw materials: MDF ST with melamine finish, VicPET Wool, coated steel plate, laminated glass							
	U04986 ●						
	U04987 ○ Side with Large Window	30×884×2100	1	2210×1000×100	35	tel. / e-mail	
	U04988 ●						
Raw materials: MDF ST with melamine finish, VicPET Wool, laminated glass							

## VicBooth Office Extension Hardware Kits

In order to increase the size of a booth, you will need the Extension Kit corresponding to the final size you want, required to connect the new elements.

Product Info		Packaging Info			Sug. Retail Price
Article	Description	Units / Box	Dimensions (mm)	Weight (kg)	
<b>Kit 1 × 2</b>					
Screws, Foam seal, Hex key, manual and Power Strip / USB Charger					
U05063	EU version	1	325 × 235 × 30	N/A	tel. / e-mail
U05077	UK version				
U05070	US version				
U05084	AU version				
<b>Kit 1 × 3</b>					
Screws, Foam seal, Hex key, manual and Power Strip / USB Charger					
U05064	EU version	1	325 × 235 × 30	N/A	tel. / e-mail
U05078	UK version				
U05071	US version				
U05085	AU version				
<b>Kit 2 × 2</b>					
Screws, Foam seal, 1 Connection plate, Hex key, manual and Power Strip / USB Charger					
U05065	EU version	1	325 × 235 × 30	N/A	tel. / e-mail
U05079	UK version				
U05072	US version				
U05086	AU version				
<b>Kit 2 × 3</b>					
Screws, Foam seal, 2 Connection plates, Hex key, manual and Power Strip / USB Charger					
U05066	EU version	1	325 × 235 × 30	N/A	tel. / e-mail
U05080	UK version				
U05073	US version				
U05087	AU version				
<b>Kit 3 × 3</b>					
Screws, Foam seal, 4 Connection plates, 4 Angle Brackets, 2 Metal Beams, Hex key, manual and Power Strip / USB Charger					
U05067	EU version	1	325 × 235 × 30	N/A	tel. / e-mail
U05081	UK version				
U05074	US version				
U05088	AU version				
<b>Kit 3 × 4</b>					
Screws, Foam seal, 6 Connection plates, 6 Angle Brackets, 3 Metal Beams, Hex key, manual and Power Strip / USB Charger					
U05068	EU version	1	325 × 235 × 30	N/A	tel. / e-mail
U05082	UK version				
U05075	US version				
U05089	AU version				

## VicBooth Accessories

Product Info			Packaging Info			Sug. Retail Price
Article	Description	Size (mm)	Units / Box	Dimensions (mm)	Weight (kg)	
<b>VicBooth Ventilation</b>						
	U04846 EU version	485×185×120	1	530×205×120	N/A	tel. / e-mail
	U04847 UK version					
	U04848 US version					
	U04954 AU version					
	<b>Desk Model L</b> Left desk top designed to fit the booth's structure	981×981×444	1	1010×1010×50	15	tel. / e-mail
Raw materials: MDF HLS						
	<b>Desk Model C</b> Central Desk Top designed to fit the booth's structure	602×1000×444	1	1030×610×50	12,5	tel. / e-mail
Raw materials: MDF HLS						
	<b>Desk Model R</b> Right desk top designed to fit the booth's structure	981×981×444	1	1010×1010×50	15	tel. / e-mail
Raw materials: MDF HLS						
	<b>Shelf Model A</b> A small shelf for mounting on the VicBooth structure beams	370×400×107	1	445×385×45	2,6	tel. / e-mail
Raw materials: MDF HLS						
	<b>Screen Support Base Lite</b> Allows to fix a small TV mounting stand to the booth's structure	450×450×111	1	485×460×45	3,3	tel. / e-mail
Raw materials: MDF HLS						
	<b>Screen Support Base XL</b> Allows to fix a large TV mounting stand to the booth's structure	992×240×111	1	1025×250×50	3,8	tel. / e-mail
Raw materials: MDF HLS						
<b>Adjustable LED Floor Lamp</b>						
	U05058 EU version	1580×50×330	1			tel. / e-mail
	U05060 UK version					
	U05059 US version					
	U05061 AU version					
	<b>USB Light Bar</b> Easy to install, magnetic dimmable light bar	355×38×38	1	360×55×45		tel. / e-mail
	U05055 <b>Multi-color Rug</b>	2500×3500	1	1255×700×190		tel. / e-mail
Raw materials: Synthetic wool (Polypropylene)						
	U05056 <b>Pearl Rug</b>	2400×3400	1	1255×700×190		tel. / e-mail
Raw materials: Synthetic wool (Polypropylene)						



# VICOUSTIC

INNOVATIVE ACOUSTIC SOLUTIONS

## Main Office, R&D & Logistics

Avenida do Pólo 3, N.º 159, Carvalhosa  
4590-137 Paços de Ferreira  
Portugal

## Office

Rua Quinta do Bom Retiro, N.º 16, Armazém 9  
2820-690 Charneca da Caparica  
Portugal  
P(+351) 212 964 100

## Info and Sales

E [sales@vicoustic.com](mailto:sales@vicoustic.com)

[www.vicoustic.com](http://www.vicoustic.com)

